




# ***Birddog Lighting***

## *2018 Catalog*



### ***NEW for 2018 - SMD LED Rope Lights***

The incredibly popular neon rope lights feature new advanced Surface Mount Diode (SMD) LEDs and upgraded construction. For more info and pricing see pages 9 & 10 and the back cover, or visit us at [birddoglighting.com](http://birddoglighting.com).

To visit our mobile website  
scan this QR code with a  
smartphone or tablet



# A MESSAGE FROM BIRDDOG LIGHTING

Birddog Lighting is committed to providing quality name brand merchandise at unbeatable prices. We value every individual customer and strive to treat each one as though they are the only one. To us, the customer's needs are our first priority and customer satisfaction is the bottom line by which we measure our success. Our goal is to provide our customers with exceptional value, quality service and most of all, reliability. Reliability nowadays can be a hard thing to find; with so many companies coming and going, customers need a supplier they can depend on to give the best prices, courteous sales people, and promptly executed orders. We pride ourselves on being just the type of company that you can depend on. With our main warehouse and offices located in one facility, our orders are usually shipped within 24 hours on a business day! We are dedicated to finding name brand products that are in demand. When you deal with Birddog Lighting (BL) you can rest assured that your order will be executed accurately, promptly, and efficiently.

## **CHARGES**

Prices are subject to change without prior notice. Please visit our website for the most up to date pricing. All shipping charges are calculated during the first step of checkout before your transaction is processed. This will allow you to view the different shipping options and costs to your location before completing your transaction. Please note that some shipping services are not available for Canada, Alaska, and Hawaii.

## **RETURN POLICY**

By purchasing a product from BL you agree to abide by the following return policy:

### **FREE RETURN SHIPPING**

A customer may return an item for any reason within the first 30 days of receiving it. For customers in the continental US a prepaid label for standard ground will be provided at no charge. All returns require either a Return Merchandise Authorization (RMA) number or a completed Return Authorization Form (RAF). To initiate the free return process and obtain an RMA number please contact BL at (406) 586-5970. Alternatively you may download the RAF form from our website. An RMA must be obtained within 30 days of receiving the product. Product must be returned complete, in like new condition, and in the original box. All returns are subject to approval and the refund policy stated below. Free return shipping does not include motifs, oversized items, and/or items shipped via freight carrier. Other exclusions apply. Please see Exclusions below.

### **REFUNDS**

All returns requiring a refund are subject to a 15% restock fee and must be returned in like new condition within 30 days of receiving the product. An RMA must be obtained by calling BL directly for any items returned for a refund. Holiday items purchased within 30 days of the intended holiday cannot be returned for a refund

### **EXCHANGES**

Customers have the option to exchange or return an item for store credit without incurring a restocking fee. An item being exchanged or returned for store credit must be returned in like new condition and in the original box within 30 days of receiving the product. An RMA must be obtained by calling BL directly for any items exchanged. Some exclusions apply. Please see Exclusions below.

### **DAMAGED ITEMS**

Any item received damaged due to shipping must be reported to BL within 7 business days of receiving the package. Please inspect the package upon receipt to make sure all parts are included and no damage is present. If you encounter damage or missing parts, please contact BL at (406) 586-5970 to request a damage call tag (DCT). Once a DCT has been issued the item must be returned to the shipping company in the original packaging. If no DCT is issued an (RMA) number may be issued for return of the product to BL for inspection of damages. Once received, if damage is found to be caused by shipping or improper packing, a replacement will be sent free of charge.

### **DEFECTIVE ITEMS**

An item found to be defective within the warranty period must be returned to BL in the original packaging for evaluation. In the event of a return of a defective item, an RMA number must be obtained by contacting BL at (406) 586-5970. If the product is found defective a replacement will be sent free of charge.

### **EXCLUSIONS**

The following items have a **NO RETURN POLICY**:

#### **1. SPECIAL ORDERS**

Any item that is considered special order. Special order is defined as any non-inventory item or group of items which was ordered expressly and uniquely for a specific customer.

#### **2. PRE-CUT LED ROPE OR STRIP LIGHT**

Any item that is considered a custom cut, a sample, or that has been cut or sized by BL specifically for that customer's unique requirements and specifications.

#### **3. CLEARANCE, CLOSEOUT, AND OVERSTOCK ITEMS**

Any item that is sold as a partial product, open box, used, or otherwise less than new.

### **PRIVACY POLICY**

Your privacy is important to us at BL. To better protect your privacy we provide this notice explaining our information collection practices and the choices you can make about the way your information is collected and used. To make this notice easy to find, we make it available on our website and at every point where personally identifiable information may be requested.

### **HOW TO CONTACT US**

Should you have other questions or concerns about these policies, please contact us by: calling our main office at 1-406-586-5970 or sending us an email - [sales@birddogdistributing.com](mailto:sales@birddogdistributing.com).

*Birddog Lighting reserves the right to amend the return policy at any time without prior notice.*

## 120V LED ROPE LIGHTING

LED 1/2" Rope Lights 4

## ROPE LIGHTING ACCESSORIES

LED Rope Light Power Cords 5

Rope Light Weatherproofing Supplies 5

Rope Light Male-to-Male Connectors 5

Rope Light Y-Extension 5

Rope Light F-to-F Connectors 5

Rope Light End Caps 5

Rope Light L-Connectors 5

Rope Light Splices 5

Rope Light T-Connectors 5

Rope Light Controllers 5

1/2" Rope Light Mounting Clips 5

Rope Light Sealant 6

1/2" Rope Light Mounting Track 6

Rope Light X-Connector 6

Rope Light Blackout Tubing 6

Rope Light Timers 6

Rope Light Mounting Stakes 6

Rope Light Storage Spools 6

Heat Gun 6

Rope Light Cutters 6

## INCANDESCENT ROPE LIGHTING

Incandescent 1/2" Rope Lights 7

Incandescent Rope Light Accessories 7

Incan. Rope Light Accessory Kits 7

## 120V RGB ROPE LIGHTING

LED RGB Rope Lights 8

LED RGB Rope Light Accessories 8

## LED NEON ROPE LIGHTING

LED 120V Neon Rope Lights 9

LED 24V RGB Neon Rope Lights 9

## RGB LED NEON ROPE LIGHTING

LED 120V RGB Neon Rope Lights 10

LED 24V RGB Neon Rope Lights 10

## 120V LED STRIP LIGHTING

LED 120V Strip Lights 11

LED 120V RGB Strip Lights 11

LED 120V Plant Growth Strip Lights 12

LED 120V Strip Light Accessories 13

## LED NEON STRIP LIGHTING

LED 120V Neon Strip Lights 14

LED Neon Strip Light Accessories 15

## 12V LED STRIP LIGHTING

LED 12V 3538 Strip Lights 16

LED 12V 5050 Strip Lights 16

## 12V RGB LED STRIP LIGHTING

LED 12V RGB 5050 Strip Lights 17

LED 12V RGB Strip Light Accessories 17

## VARIABLE WHITE LED STRIP LIGHT

LED 12V Variable White LED Strip Lights 18

LED 12V Variable White LED Controller 18

## 12V CHASING LED STRIP LIGHT

LED 12V RGB Chasing Strip Lights 18

LED 12V RGB Chasing Controller 18

## 12V LED STRIP LIGHT BUNDLES

LED RGB Strip Light 16.4' Bundle 19

LED RGB Strip Light 8' Bundle 19

LED RGB Chasing Strip Light Bundle 19

## 12V LED STRIP LIGHT ACCESSORIES

LED 12V Strip Light Power Supplies 20

LED 12V Strip Light Dimmable Drivers 20

LED 12V Strip Light Power Connectors 20

LED 12V Strip Light Dimmer 20

LED 12V Strip Light On/Off Switch 20

LED 12V Strip Light Splitters 20

LED 12V Strip Light Connectors 20

LED 12V Strip Light Mini Connectors 20

LED 12V Strip Light Jumpers 20

LED 12V Strip Light Splices 20

LED 12V Strip Light Barrel Connectors 20

LED 12V Strip Light Mounting Clips 20

LED Magnetic Tape 20

LED 3M Industrial Double-Sided Tape 20

LED Bendable Mounting Track 20

## LED OUTLET & SWITCH COVERS

LED SnapPower Guidelight Covers 21

## LED PUCK LIGHTS

LED Puck Light Sets 21

## LED RIGID LIGHT BARS

LED Rigid Light Bars 21

## LED UNDER CABINET LIGHTS

LED Under Cabinet Lights 22

LED Under Cabinet Light Accessories 22

## LED T8 BULBS

LED 4' T8 Tube Lights 23

LED 4' Plant Growth T8 Tube Lights 23

LED 4' Integrated T8 Tube Lights 23

## HALLOWEEN MOTIFS & LIGHTS

LED Spider Web Motif 24

LED Bat Motif 24

LED Witch Motif 24

LED Cat Motif 24

Inflatable Pumpkin Displays 24

Inflatable Ghost Display 24

Inflatable Headless Horseman Display 24

Halloween Flicker Flame Bulbs 24

Halloween Flicker Flame String Lights 24

Halloween Mini Light String Sets 24

## SEASONAL MOTIFS

Heart Motifs 25

Cupid Motif 25

LED Flur De Lis Motif 25

LED Jester Motif 25

Dove Motifs 25

LED Cross Motifs 25

LED Cactus Motifs 25

LED Bethlehem Star Motif 25

LED Star Motifs 25

LED Shamrock Motif 25

LED Easter Bunny Motif 25

LED USA Flag Motif 25

LED Animated USA Motif 25

LED Palm Tree Motifs 25

Flamingo Motif 25

Lamp Post Motifs 25

## CHILI PEPPER LIGHTS

Chili Pepper Wreath 26

Chili Pepper Clusters 26

Chili Pepper String Lights & Bulbs 26

## LED STRING LIGHT SETS

LED G12 Raspberry String Light Sets 26

LED C6 Strawberry String Light Sets 26

LED C7 & C9 String Light Sets 26

## NET & BISTRO/PATIO LIGHTS

Standard Net Lights 27

Tree Trunk Net Lights 27

LED Firework Net Lights 27

Hanging Belt Lights 27

Hanging Bistro Lights 27

Patio Belt Lights 27

## PARTY LIGHTING

LED Pixie Berry Lights 28

LED RGB Vase Base Light 28

LED Battery Powered Mini Light Sets 28

LED Battery Powered Micro Light Sets 28

LED Flood Lights 29

LED Portable Flood Lights 29

## LED COMMERCIAL LIGHTING

LED Troffer Lights 30

LED Vapor Tight Strip Fixture 30

LED Area Lights 30

LED Industrial High-Bay Lights 30

LED Retail High-Bay Lights 30

LED UFO High-Bay Lights 30

LED Shoebox Lights 31

LED Low Bay Canopy Lights 31

LED Wall Pack Lights 31

LED Flood Lights 31

LED Roadway Lights 31





### 120 Volt 1/2" LED Rope Lights 65 Foot or 148 Foot Spools

Visit our website or call 406-586-5970 for custom cuts

- 120 Volt, 0.8 Watts per foot
- High quality anti-aging PVC, UV protected
- 1/2" diameter, 2-wire with 1" LED spacing
- LED Count: 40 LEDs/m
- Lumen Output: up to 3 lumens/LED
- Omni-directional light output
- Extended life up to 100,000 hours
- Cuttable in: 19.5" lengths
- Use indoors and outdoors - Max run 600'
- Temperature rating: -60°F - 130°F
- IP44 (IP65 with properly sealed connections)
- Dimmable

Accessories included with each spool:

- (1) Power Cord (pre-installed)
- (1) Power Connector (pre-installed)
- (1) End Cap (pre-installed)

#### 65 Foot Spools

Item Number	Color	Per Spool
RLL120H-20*	*SPECIFY	\$69.99

\*Colors: CW-Cool White, WW-Warm White

#### 148 Foot Spools

Item Number	Color	Per Spool
RLL120H-45*	*SPECIFY	\$129.99

\*Colors: B-Blue, CW-Cool White, F-Fuchsia G-Green, GLD-Gold, MC-Multi Color, O-Orange, P-Purple, R-Red, RWB-Red White & Blue, WW-Warm White, Y-Yellow



Blue



Cool White



Fuchsia



Green



Gold



Multi Color



Orange



Purple



Red



Red White & Blue



Warm White



Yellow



Omnidirectional Light Output



12.7 mm



120 VOLT



LISTED

#### Directional Light Output 148 Foot Spools

Item Number	Color	Per Spool
RLL120V-45*	*SPECIFY	\$129.99

\*Colors: CW-Cool White, WW-Warm White, LY-Light Yellow



Directional Light Output



12.7 mm



120 VOLT



LISTED





### 81 PIECE LED ACCESSORY KIT

2-WIRE, 120 VOLT, 1/2"

Includes 1-6' power cord, 17 P-cons, 2 T-cons, 5 splices, 5 end caps, 1-5' f-f ext, and 50 C clips

Item Number	Each
LEDACC-KIT81PC	\$24.99



### 6' LED POWER CORD KIT

2-WIRE, 120 VOLT, 1/2"

Power up to 180' of LED rope lights.

Includes p. con, shrink tube, and end cap.

Item Number	Each
RLL120A-P6'	\$6.99

\*Specify Color: B-Black, W-White



### LED HIGH OUTPUT RECTIFIER

2-WIRE, 120 VOLT, 1/2"

Runs up to 600' of 120V LED rope lights.

8 Amps max, power cord included.

Item Number	Each
RLL120A-HOR	\$54.99



### MALE-MALE CONNECTOR

2-WIRE, 1/2"

Use to connect two 1/2" rope light accessories together.

Item Number	Each
RLL120A-MM	\$3.99



### 18" Y CONNECTOR

2-WIRE, 1/2"

Use to split 1 run of rope light into 2 separate runs. Sealant recommended.

Item Number	Each
URL12-Y	\$6.99



### F-TO-F CONNECTOR

2-WIRE, 1/2", 6", 5', 6' OR 10'

Use to connect 2 runs of rope lights with a space between. Sealant recommended.

Item Number	Each
RLL120A-FF	\$6.99-9.99

\*Specify Length: S-6", M-2', L-5', 6'-6", 10-10'



### END CAP

1/2" (5 PACK)

Use to terminate a rope light run. Sealant recommended.

Item Number	Each
URL12-END5	\$1.99



### PREMIUM END CAP

1/2" (3/PACK)

Use to terminate a rope light run. Includes shrink tubing.

Item Number	Each
106P12-END	\$2.99



### L CONNECTOR

2-WIRE, 1/2"

Use for making 90 degree turns. Sealant recommended.

Item Number	Each
URL12-L	\$2.99



### IN LINE SPLICE

2-WIRE, 1/2" (2/PACK)

Use for joining 2 sections of rope lights. Sealant recommended.

Item Number	Each
URL12-INLSPL	\$3.99



### INVISIBLE SPLICE KIT

2-WIRE, 1/2" (2/PACK)

Use to create a virtually invisible, seamless splice. Sealant recommended.

Item Number	Each
URL12-SPLKIT	\$3.99



### T CONNECTOR

2-WIRE, 1/2"

Use to connect a perpendicular run of rope light. Sealant recommended.

Item Number	Each
URL12-T	\$4.99



### ILLUMICLIP® STYLE CLIPS

1/2"/3/8" (21/BAG)

Use to attach to plastic landscape edging, or any other 1" diameter solid material

Item Number	Each
10612-ILCLIP	\$9.99



### CROCODILE CLIPS

1/2" (25/BAG)

Can be fastened together to align multiple runs next to each other.

Item Number	Each
106SB-CRCL	\$9.99



### P STYLE CLIPS

1/2" (50/BAG)

Use to secure rope lights, best for outdoor use. Screws included.

Item Number	Each
URL12-PCLIP	\$6.99



### C STYLE CLIPS

1/2" (50/BAG)

Use to secure rope lights, best for indoor use. Screws included.

Item Number	Each
URL12-CCLIP	\$6.99



### MULTI-FUNCTION CONTROLLER

2-WIRE, 120 VOLT, WEATHERPROOF

Powers and controls 120V LED strip lights. Dimmer, timer, and 8 dynamic effect settings.

Item Number	Each
RLL120A-DIM	\$59.99



### FADING CONTROLLER

120 VOLT, 2 CHANNELS

Use to add fading effects to your lights. 600W/5.0A. Indoor use only.

Item Number	Each
CNTRLS-FADER	\$39.99



### DIMMING CONTROLLER

120 VOLT, 2 CHANNELS

Use to adjust the brightness of your LED or incandescent lighting. Indoor use only.

Item Number	Each
CNTRLS-DIMMER	\$49.99



### LED MINI INLINE CONTROLLER

120 VOLT, 8 SETTINGS

Push button multi function controller. Provides 8 different effects. Indoor use only.

Item Number	Each
RLL120A-LEDMCNTRL	\$24.99




**ROPE LIGHT SEALANT**  
1.0 OZ. SILICONE TUBE  
Required for outdoor installations. Use liberally around all connections.  
Item Number Each  
MISC-GLUE \$2.49



**HEAT MELT SHRINK TAPE KIT**  
3 SIZES: 12V, 3/8-1/2", NEON/RGB  
Make a weather-tight seal on rope and strip light connections. Kit seals 2 connections.  
Item Number Each  
MISC-OUTDOOR\* \$2.99  
\*Specify Size: S-12V, M-3/8"/1/2", L-Neon/RGB



**39" MOUNTING TRACK**  
1/2", CLEAR PVC  
Use to create completely straight lines for your rope lighting project.  
Item Number Each  
URL12-TRACK \$1.99



**6' REFLECTIVE TRACK**  
1/2", CLEAR PVC IN ALUMINUM TRACK  
Use to securely attach rope lights to a solid surface. Available in gold or silver.  
Item Number Each  
10612-REF-\*(G,S) \$19.99



**X CONNECTOR**  
2-WIRE, 1/2"  
Use to connect 4 separate rope light runs in an X configuration.  
Item Number Each  
106P12-X \$6.99



**24 HOUR TIMER**  
120 VOLT, UL LISTED  
Use to set lights to come on and off in a 24 hour period. Indoor use only.  
Item Number Each  
CNTRLS-24HR \$14.99



**RAINTIGHT PHOTOCELL TIMER**  
120 VOLT, UL LISTED  
Outdoor rated timer has multiple time length settings including dawn to dusk.  
Item Number Each  
CNTRLS-ODTX2 \$19.99



**DOUBLE SIDED MOUNTING TAPE**  
3M™ INDUSTRIAL STRENGTH, 10' ROLL  
Professional-quality tape, use to secure lights as well as lighting accessories like mounting track.  
Item Number Each  
MISC-TAPE \$9.99



**BLACKOUT TUBING**  
3/8" - 1/2" ROPE LIGHTS  
Use to hide sections of rope light. Specify length when ordering.  
Item Number Price  
10612-BOTUBE \$0.99/FT



**CABLE TIES**  
8" (100/BAG)  
Standard cable ties. Specify color when ordering.  
Item Number Each  
MISC-TIE8 \$4.99  
\*Colors: B-Black, W-White



**CABLE TIES**  
4" (100/BAG)  
Standard cable ties. Specify color when ordering.  
Item Number Each  
MISC-TIE4 \$2.99  
\*Colors: Blk-Black, Blu-Blue, G-Green, R-Red, W-White, Y-Yellow



**ABOVE GROUND LIGHT STAKES**  
1/2" OR 3/8" ROPE LIGHT, C7 OR C9 BULBS  
Use to secure above ground rope lights or Christmas string lights. 25 Stakes per pack.  
Item Number Each  
ML-YS\*(8" or 15") \$9.99-\$16.99



**STORAGE SPOOL**  
CAPACITY: 1/2"-150', RGB-65'  
Use these spools to safely store your rope light decorations until your next occasion.  
Item Number Each  
MISC-SPOOL \$4.99



**HEAT GUN**  
DUAL TEMPERATURE HEAT  
Perfect for making a watertight seal on all rope lights with our outdoor shrink sleeve kits.  
Item Number Each  
MISC-HG \$29.99



**ROPE LIGHT CUTTER**  
TEFLON COATED HARDENED STEEL  
Use to cut rope light cleanly and easily. Includes nylon belt case.  
Item Number Each  
MISC-RLC \$12.99



**OUTDOOR POWER STAKE**  
120 VOLT, 6 OUTLETS  
Multiple timer settings and light sensor. 6' Power cord, with stake, weatherproof.  
Item Number Each  
MISC-PWRSTK6-G \$24.99



## 120 Volt 1/2" Incandescent Rope Lights 150 Foot Spools

- 120 Volt, 5.5 Watts per foot
- High quality anti-aging PVC, UV protected
- 1/2" diameter, 2-wire with 1" Bulb spacing
- Lumen Output: up to 2 lumens/bulb
- Bulb Count: 40 bulbs/m
- Omni-directional light output
- Average life up to 30,000 hours
- Cuttable in: 18" lengths
- Use indoors and outdoors - Max run 150'
- Temperature rating: -60°F - 130°F
- IP44 (IP65 with properly sealed connections)
- Dimmable

Accessories included with each spool:

- (3) Power Cords
- (3) Power Connectors
- (3) End Caps

Product Code	Color	Per Spool
RLI122WC-*	*SPECIFY	\$89.99

\*Colors: A-Amber, B-Blue, C-Clear, G-Green, PI-Pink, PU-Purple, R-Red, W-White, Y-Yellow



120 VOLT Omni-Directional Light Output

12.7 mm

### INCANDESCENT ROPE LIGHT ACCESSORIES



**POWER CONNECTOR**  
2-WIRE, 1/2" (5/PACK)  
Use to connect rope light to an accessory or power cord.  
Item Number Each  
RLI120A-CON5 \$1.99



**6' POWER CORD**  
INCAN. 2-WIRE, 1/2", 120 VOLT  
Use to power up to a 150' run of rope light. Includes power connector and end cap.  
Item Number Each  
RLI120A-PKIT \$6.99



**70 PIECE ACCESSORY KIT**  
INCAN. 2-WIRE, 1/2", 120 VOLT  
70 Piece accessory kit, includes 5x: p. cords, p. connectors, end caps, splices, & 50x Clips.  
Item Number Each  
206ACCKIT2 \$29.99



**MINI FLASHING CONTROLLER**  
2-WIRE, 1/2", 120 VOLT  
Use this controller with rope lights to adjust flashing speed. Max run 44'.  
PRODUCT CODE EACH  
CNTRLS-R2CMIN \$16.99



**FLASHING CONTROLLER**  
2-WIRE, 1/2", 120 VOLT  
6 function controller, various flashing effects with sound chip. Max run 150'.  
PRODUCT CODE EACH  
CNTRLS-R2CMAX \$39.99



**POWER CONNECTOR**  
COMPRESSION, 2-WIRE, 1/2" (5-PACK)  
Required to connect incandescent rope lights to a compression type accessory.  
Item Number Each  
206SB-CON \$3.99



**SPLICE CONNECTOR**  
COMPRESSION, 2-WIRE, 1/2" (5-PACK)  
Use for joining 2 sections of rope lights. Silicone sealant recommended, sold separately.  
Item Number Each  
206SB-CON \$9.99



**COMPRESSION T CONNECTOR**  
COMPRESSION, 2-WIRE, 1/2" (5-PACK)  
Use to connect a perpendicular run of rope lights. Power connectors not required.  
Item Number Each  
206SB-T \$9.99



**2' F-TO-F CONNECTOR**  
COMPRESSION, 2-WIRE, 1/2" (5-PACK)  
Use to connect to runs of rope lights where lighting is not required or to span a gap.  
Item Number Each  
206SB-2FF \$6.99



**MALE-FEMALE CONNECTOR**  
COMPRESSION, 2-WIRE, 1/2" (5-PACK)  
Use to extend the length of a compression power cord or y-extension. 6 ft. long.  
Item Number Each  
206SB-6MF \$7.99



**Y CONNECTOR**  
COMPRESSION, 2-WIRE, 1/2" (5-PACK)  
Use to extend the length of a compression power cord or y-extension. 1.5 ft. long.  
Item Number Each  
206SB-EXT-Y \$9.99





### 120 Volt Color Changing RGB LED Rope Lights 65 Foot or 148 Foot Spools


Please visit our website or call 406-586-5970 for custom cuts

- 120 Volt, 1.5 Watts per foot
- High quality anti-aging PVC, UV protected
- 0.75" W x 0.375" H, 4-wire with 1" LED spacing
- Lumen Output: up to 4 lumens/LED
- LED Count: 108 LEDs/m
- Directional light output
- Extended life up to 100,000 hours
- Cuttable in: 39" lengths
- Use indoors and outdoors - Max run 165'
- Temperature rating: -60°F - 130°F
- IP44 (IP65 with properly sealed connections)
- Controller required for use, sold separately.


Accessories included with each spool:

- (1) End Cap (pre-installed)
- (1) Power Connector (pre-installed)

Item Number	Length	Per Spool
RLL120V-20RGB	65'	\$259.99
RLL120V-45RGB	148'	\$499.99



### RGB LED ROPE LIGHT ACCESSORIES



**RGB DELUXE CONTROLLER**  
4-WIRE, 120 VOLT, WEATHERPROOF  
RF remote controller. Run up to 151' of rope light. Color, brightness and effect control.

Item Number	Each
RLL120A-WPRGBC	\$59.99



**RGB MINI CONTROLLER**  
4-WIRE, 120 VOLT  
7 Effect, single button inline controller. Runs up to 165' of RGB LED rope light.

Item Number	Each
RLL120A-RGBMC	\$29.99



**POWER CONNECTOR**  
4-WIRE, RGB (5/PACK)  
Use to connect RGB rope light to an accessory or power cord.

Item Number	Each
RLL120A-RGBCON5	\$1.99



**END CAP**  
4-WIRE, RGB (5 PACK)  
Use to terminate a RGB LED rope light run. Silicone sealant recommended.

Item Number	Each
RLL120A-RGBEND5	\$1.99



**MALE-MALE CONNECTOR**  
4-WIRE, RGB  
Use to connect 2 female RGB LED rope light accessories together.

Item Number	Each
RLL120A-RGBMM	\$3.99



**MOUNTING CLIP**  
3/4", RGB (50/PACK)  
Use to attach RGB LED rope lights to a solid surface. Screws not included.

Item Number	Each
RLL120A-RGBCLIP	\$7.99




**39" MOUNTING TRACK**  
3/4", RGB  
Use to create completely straight lines in your RGB LED rope lighting project.

Item Number	Each
RLL120A-RGBTRK	\$2.49



**INLINE SPLICE**  
4-WIRE, RGB  
Use for joining 2 sections of rope lights. Silicone sealant recommended.

Item Number	Each
RLL120A-RGBSPL	\$1.99



**RGB T CONNECTOR**  
4-WIRE, RGB  
Ideal for adding a section perpendicular to a main run.

Item Number	Each
RLL120A-RGBT	\$4.99



**Y CONNECTOR**  
BLACK OR WHITE, 4-WIRE, RGB  
Use to split 1 run of RGB LED rope light into 2 separate runs.

Item Number	Each
RLL120A-RGBY	\$9.99



**F-TO-F CONNECTOR**  
6" BLACK OR WHITE, 4-WIRE, RGB  
Use to connect 2 runs of rope lights with a space between. Sealant recommended.

Item Number	Each
RLL120A-RGBFFS	\$2.99



**F-TO-F CONNECTOR**  
5', BLACK OR WHITE, 4-WIRE, RGB  
Use to connect 2 runs of rope lights with a space between. Sealant recommended.

Item Number	Each
RLL120A-RGBFFL	\$6.99

## ALL NEW FOR 2018!

**Upgraded LEDs** - Now featuring over 2 times as many LEDs - the new Surface Mount Didode LEDs are fundamentally superior delivering higher brightness, and unparalleled reliability.

**Extreme Durability** - New LEDs and circuitry eliminates easily broken wires and soldering reducing costly maintenance and downtime.

**Bend It** - PCB circuitry allows for enhanced flexibility, a tighter bend radius, and is easily adaptable to the most complicated projects.

**Redesigned Construction** - New innovative structure provides superior illumination, creating an impressive glow that further reduces any "hot" or "cool" spots.



## 120 Volt SMD LED Neon Rope Lights 148 Foot Spools

Please visit our website or call 406-586-5970 for custom cuts

- 120 Volt, 1.97 Watts per foot
- An affordable alternative to traditional glass neon
- High quality anti-aging PVC, UV protected
- 0.59" W x 0.98" H, 2-wire with 0.2" LED spacing
- Lumen Output: up to 4 lumens/LED
- LED Count: 79 LEDs/m
- Directional light output
- Extended life up to 50,000 hours
- Cuttable in: 19.5" lengths
- Use indoors and outdoors - Max run 164'
- Temperature rating: -60°F - 130°F
- IP44 (IP65 with properly sealed connections)
- Accessory kit included with each spool

Accessories included with 148' spool:

- (1) Power Cord (pre-installed)
- (1) Power Connector (pre-installed)
- (1) End Cap (pre-installed)
- (2) Heat Shrink Sleeves

Item Number	Color	148' Spool
SNRL-45*	*SPECIFY	\$399.99


\*Colors: B-Blue, CW-Cool White, G-Green, O-Orange, P-Pink, R-Red, WW-Warm White, Y-Yellow



120 VOLT



Directional Light Output



Blue

Cool White



Green

Orange



Pink

Red



Warm White

Yellow





### 120 Volt RGB SMD LED Neon Color Changing Lights 148 Foot Spool

- 120 Volt, 4.26 Watts per foot
- RGB color changing tri-chip SMD LEDs
- High quality anti-aging PVC, UV protected
- 0.38" W x 0.25" H, 4-wire with 0.2" LED spacing
- Lumen Output: up to 2 lumens/LED
- LED Count: 79 LEDs/m
- Directional light output
- Extended life up to 50,000 hours
- Cuttable in: 19.5" lengths
- Use indoors and outdoors - Max run 148'
- Temperature rating: -60°F - 130°F
- IP44 (IP65 with properly sealed connections)
- Controller required for use, sold separately.


Accessories included with each spool:

- (1) End Cap (pre-installed)
- (1) Power Connector (pre-installed)


Item Number	Per Spool
SNRL-45RGB	\$599.99



120 VOLT



Directional Light Output



### ALL NEW FOR 2018!

- 7 Preset Color Options - Red, Green, Blue, Cyan, Pink, White, and Yellow
- 6 Custom Color Channels - Save up to 6 different custom colors
- 5 Color Change Lighting Effects - Jumping, Fading, and More
- Adjustable Speed & Brightness - Change the effect speed or single color brightness



Composite Image



**RGB DELUXE CONTROLLER**  
4-WIRE, 120 VOLT, WEATHERPROOF  
RF remote controller. Use up to 151' of neon rope light. Brightness and effect control.

Item Number	Each
RL120A-WPRGBC	\$59.99

### ALL NEW FOR 2018! - Multiple Color Change/Chasing Effects



### 24 Volt Dreamcolor DMX RGB SMD LED Neon Color Changing Chasing Lights - 33 Foot Spool

- 24 Volt, 3.97 Watts per foot
- DMX addressable RGB SMD LEDs
- High quality anti-aging PVC, UV protected
- 0.38" W x 0.25" H, 4-wire with 0.2" LED spacing
- Lumen Output: up to 2 lumens/LED
- LED Count: 79 LEDs/m
- Directional light output
- Extended life up to 50,000 hours
- Cuttable in: 19.5" lengths
- Use indoors and outdoors - Max run 33'
- Temperature rating: -60°F - 130°F
- IP44 (IP65 with properly sealed connections)
- Controller required for use, sold separately.


Accessories included with each spool:

- (1) End Cap (pre-installed)
- (1) Power Connector (pre-installed)


Item Number	Per Spool
SNRL24-10RGB	\$129.99



120 VOLT



Directional Light Output



**RGB DMX CONTROLLER**  
4-WIRE, 24 VOLT, RF REMOTE  
Select various chasing and color changing effects and adjust the speed and brightness.

Item Number	Each
SNRL24-RGBDMX	\$89.99





## 120 Volt 3528 or 5050 SMD LED Strip Lights 65 Foot or 148 Foot Spools

Please visit our website or call 406-586-5970 for custom cuts

- 120 Volt, 3528-1.3W/ft, 5050-3.7W/ft
- High quality anti-aging PVC, UV protected
- Dimensions: 3528-0.38" W x 0.25" H, 5050-0.55" W x 0.25" H
- LED Spacing: 3528-0.56"  
5050-0.44"
- Lumen Output: 3528 up to 6 lumens/LED  
5050 up to 10 lumens/LED
- LED Count: 60 LEDs/m
- Directional light output
- Extended life up to 50,000 hours
- Cuttable in: 19.5" lengths
- Use indoors and outdoors - Max run 330'
- Temperature rating: -60°F - 130°F
- IP44 (IP65 with properly sealed connections)
- Dimmable

Accessories included with each spool:

- (1) Power Cord (pre-installed)
- (1) Power Connector (pre-installed)
- (1) End Cap (pre-installed)

### 3528 Spools


Item Number	Length	Per Spool
STRP12035-20*	65'	\$99.99
STRP12035-45*	148'	\$199.99

\*Specify Color when ordering: B-Blue, CW-Cool White, G-Green, P-Pink, R-Red, WW-Warm White, Y-Yellow

### 5050 Spools

Item Number	Length	Per Spool
STRP12050-20*	65'	\$149.99
STRP12050-45*	148'	\$299.99

\*Specify Color when ordering: B-Blue, CW-Cool White, G-Green, P-Pink, R-Red, WW-Warm White, Y-Yellow



Blue



Cool White



Green



Pink



Red



Warm White



Yellow




120 VOLT




Directional Light Output

3528



10 mm

5050



19 mm



## 120 Volt 5050 RGB LED Strip Lights 65 Foot or 148 Foot Spools

Please visit our website or call 406-586-5970 for custom cuts

- 120 Volt, 3.7 Watts per foot
- High quality anti-aging PVC, UV protected
- 0.625" W x 0.31" H, 4-wire with 0.44" LED spacing
- Lumen Output: up to 10 lumens/LED
- LED Count: 60 LEDs/m
- Directional light output
- Extended life up to 50,000 hours
- Cuttable in: 19.5" lengths
- Use indoors and outdoors - Max run 148'
- Temperature rating: -60°F - 130°F
- IP44 (IP65 with properly sealed connections)
- Controller required for use


Accessories included with each spool:

- (1) End Cap (pre-installed)
- (1) Power Connector (pre-installed)

Item Number	Length	Per Spool
STRP12050-20RGB	65'	\$259.99
STRP12050-45RGB	148'	\$499.99




120 VOLT



21 mm



Directional Light Output



Features Tri-Chip Color Changing Technology



### THE ONLY 120 VOLT SMD LED STRIP LIGHTING THAT IS SPECIFICALLY FOR GROWING PLANTS INDOORS!

Our all new 120 Volt SMD LED Strip Light is specifically designed for plant growth and is perfect for any indoor plant grower. The strip lighting features a repeating pattern of Red (660-665nm) LEDs and Blue (450-455nm) LEDs that have been proven to get the optimal growth potential out of your plants.



#### 120 Volt 5050 Red Blue LED Strip Lights 148 Foot Spools

Please visit our website or call 406-586-5970 for custom cuts

- 120 Volt, 3.7 Watts per foot
- High quality anti-aging PVC, UV protected
- 0.44" W x 0.31" H, 2-wire with 0.44" LED spacing
- Lumen Output: up to 10 lumens/LED
- LED Count: 60 LEDs/m
- Directional light output
- Extended life up to 50,000 hours
- Cuttable in: 19.5" lengths
- Use indoors and outdoors - Max run 330'
- Temperature rating: -60°F - 130°F
- IP44 (IP65 with properly sealed connections)
- Dimmable

Accessories included with each spool:

- (1) Power Cord (pre-installed)
- (1) Power Connector (pre-installed)
- (1) End Cap (pre-installed)



Item Number	Per Spool
STRP12050-45RB	\$329.99



120 VOLT



Directional Light Output



#### 120 Volt 2820 Red Blue LED Strip Lights 148 Foot Spools

Please visit our website or call 406-586-5970 for custom cuts

- 120 Volt, 3.7 Watts per foot
- High quality anti-aging PVC, UV protected
- 0.9" W x 0.27" H, 2-wire with 0.32" LED row spacing
- Lumen Output: up to 2 lumens/LED
- LED Count: 300 LEDs/m
- Directional light output
- Extended life up to 50,000 hours
- Cuttable in: 19.5" lengths
- Use indoors and outdoors - Max run 330'
- Temperature rating: -60°F - 130°F
- IP44 (IP65 with properly sealed connections)
- Dimmable

Accessories included with each spool:

- (1) Power Cord (pre-installed)
- (1) Power Connector (pre-installed)
- (1) End Cap (pre-installed)



Item Number	Per Spool
STRP12028-45RB5	\$599.99



120 VOLT



Directional Light Output








**POWER CORD KIT**  
3528/5050, 120 VOLT  
Use to power up to a 330' run. Includes power connector and end cap.

Item Number	Each
STRP120*A-PWR	\$6.99

\*Specify strip light type when ordering:  
35-3528, 50-5050



**POWER CONNECTOR**  
3528/5050/5050 RGB (5 PACK)  
Use to connect 120V strip lights to power cords and accessories.

Item Number	Each
STRP120*A-CON	\$1.99

\*Specify strip light type when ordering:  
35-3528, 50-5050, 50-RGB-5050 RGB



**MOUNTING CLIP**  
3528/5050-5050 RGB (50 PACK)  
Use to attach 120V strip lights to a solid surface. Requires screws or adhesive; not included.

Item Number	Each
STRP120*A-CLIP	\$6.99

\*Specify strip light type when ordering:  
35-3528, 50-5050, 50-RGB-5050 RGB



**END CAP**  
3528/5050/5050 RGB (5 PACK)  
Use to terminate a 120V strip light run. Sealant recommended.

Item Number	Each
STRP120*A-END	\$1.99

\*Specify strip light type when ordering:  
35-3528, 50-5050, 50-RGB-5050 RGB



**L CONNECTOR**  
3528/5050  
Use for making 90 degree turns. Includes power connectors.

Item Number	Each
STRP120*A-L	\$2.99

\*Specify strip light type when ordering:  
35-3528, 50-5050



**T CONNECTOR**  
3528/5050  
Use to connect a perpendicular run of strip light. Includes power connectors.

Item Number	Each
STRP120*A-T	\$3.99

\*Specify strip light type when ordering:  
35-3528, 50-5050



**Y CONNECTOR**  
3528/5050/5050 RGB  
Use to split 1 run of strip light into 2 runs. Includes power connectors.

Item Number	Each
STRP120*A-Y	\$5.99-9.99

\*Specify strip light type when ordering:  
35-3528, 50-5050, 50-RGB-5050 RGB



**INVISIBLE SPLICE**  
3528/5050  
Use to create a virtually invisible, seamless splice. Sealant recommended.

Item Number	Each
STRP120*A-SPL	\$1.99

\*Specify strip light type when ordering:  
35-3528, 50-5050



**IN LINE SPLICE**  
3528/5050/5050 RGB  
Use for joining 2 sections of strip lights. Includes power connectors.

Item Number	Each
STRP120*A-SPL	\$1.99

\*Specify strip light type when ordering:  
35-3528, 50-5050, RGB-RGB 5050



**F-TO-F CONNECTOR**  
6", 3528/5050/5050 RGB  
Useful for small gaps or to turn corners. Black or White.

Item Number	Each
STRP120*A-FFBS	\$2.99
STRP12050A-RGBFFS	\$2.99

\*Specify color and strip type when ordering:  
35-3528, 50-5050



**F-TO-F CONNECTOR**  
2', 3528/5050/5050 RGB  
Use for joining 2 sections of strip lights. Black or White.

Item Number	Each
STRP120*A-FFM	\$4.99
STRP12050A-RGBFFM	\$4.99

\*Specify color and strip type when ordering:  
35-3528, 50-5050



**F-TO-F CONNECTOR**  
5', 3528/5050/5050 RGB  
Use for joining 2 sections of strip lights. Black or White.

Item Number	Each
STRP120*A-FFL	\$6.99
STRP12050A-RGBFFL	\$6.99

\*Specify color and strip type when ordering:  
35-3528, 50-5050



**39" MOUNTING TRACK**  
3528/5050/5050 RGB, CLEAR PVC  
Use to create completely straight lines for your rope lighting project.

Item Number	Each
STRP120*A-TRK	\$1.89

\*Specify strip light type when ordering:  
35-3528, 50-5050, 50-RGB-5050 RGB



**RGB MINI INLINE CONTROLLER**  
RGB 5050, 120 VOLT  
Powers and controls up to 80' of RGB strip lights. 10 effect settings. Indoor use only.

Item Number	Each
STRP12050A-RGBMCNTRL	\$29.99



**RGB DELUXE CONTROLLER**  
RGB 5050, 120 VOLT, WEATHERPROOF  
RF remote controller. Use up to 151' of RGB strip light. Brightness and effect control.

Item Number	Each
STRP12050A-WPRGBC	\$59.99



**MULTI-FUNCTION CONTROLLER**  
3528/5050, 120 VOLT, WEATHERPROOF  
RF remote controller. Use up to 151' of 120V strip light. Dimmer, timer, and 8 effect settings.

Item Number	Each
STRP120*A-DIM	\$59.99

\*Specify strip light type when ordering:  
35-3528, 50-5050





### 120 Volt SMD LED Neon Strip Lights 148 Foot Spools

Please visit our website or call 406-586-5970 for custom cuts

- 120 Volt, 3.7 Watts per foot
- High quality anti-aging PVC, UV protected
- 0.375" W x 0.625" H, 2-wire with 0.2" LED spacing
- Lumen Output: up to 2 lumens/LED
- LED Count: 118 LEDs/m
- Directional light output
- Extended life up to 50,000 hours
- Cuttable in: 19.5" lengths
- Use indoors and outdoors - Max run 330'
- Temperature rating: -60°F - 130°F
- IP44 (IP65 with properly sealed connections)
- Dimmable

Accessories included with each spool:

- (1) Power Cord (pre-installed)
- (1) Power Connector (pre-installed)
- (1) End Cap (pre-installed)

Item Number	Color	Per Spool
NSMD-45*	*SPECIFY	\$399.99




\*Colors: B-Blue, CW-Cool White, G-Green, O-Orange, P-Pink, R-Red, WW-Warm White, Y-Yellow



120 VOLT



Directional Light Output



Blue



Cool White



Green



Orange



Pink



Red



Warm White



Yellow



**5' POWER CORD**

2-WIRE, 120V

Use to power a 150' run of neon strip. Includes power con. and end cap.

Item Number	Each
NSMDA-PWR5	\$7.99



**6' POWER CORD**

2-WIRE, 120V, WHITE

Use to power a 150' run of neon strip. Includes power con. and end cap.

Item Number	Each
NSMDA-PW6	\$8.99



**6' POWER CORD**

2-WIRE, 120V, BLACK

Use to power a 150' run of neon strip. Includes power con. and end cap.

Item Number	Each
NSMDA-PB6	\$8.99



**POWER CONNECTOR**

2-WIRE, SMD NEON (5 PACK)

Use to connect SMD neon strip light to all accessories.

Item Number	Each
NSMDA-CON5	\$1.99




**END CAP**

SMD NEON (5 PACK)

Use to terminate a neon strip light run. Sealant recommended.

Item Number	Each
NSMDA-END5	\$1.99



**SPLICE CONNECTOR**

2-WIRE, 120V

Use for joining 2 sections of neon strip lights. Includes an internal power con.

Item Number	Each
NSMDA-SPL	\$1.99




**T CONNECTOR**

2-WIRE, 120V

Use to connect a perpendicular run of neon strip light. Includes power cons.

Item Number	Each
NSMDA-T	\$2.99



**L CONNECTOR**

2-WIRE, 120V

Use for making 90 degree turns. Includes power connectors.

Item Number	Each
NSMDA-L	\$3.99



**F-TO-F CONNECTOR**

6", 2-WIRE, 120V

Useful for small gaps or to turn corners. Includes power cons. and shrink sleeves.

Item Number	Each
NSMDA-FFWS	\$2.99



**F-TO-F CONNECTOR**

2", 2-WIRE, 120V

Useful for small gaps or to turn corners. Includes power cons. and shrink sleeves.

Item Number	Each
NSMDA-FFWM	\$4.99



**F-TO-F CONNECTOR**

5", 2-WIRE, 120V

Use for joining 2 sections of strip lights. Includes power cons. and shrink sleeves.

Item Number	Each
NSMDA-FFWL	\$6.99



**ALUMINUM CLIP**

2", SMD NEON (5-PACK)

Use to attach neon strip lights to a solid surface.

Item Number	Each
NSMDA-CLIP	\$3.99



**PLASTIC TRACK**

39", SMD NEON

Use to create completely straight lines in your neon strip light project.

Item Number	Each
NSMDA-TRK	\$1.89



**ALUMINUM TRACK**

39", SMD NEON

Use to create completely straight lines in your neon strip light project.

Item Number	Each
NSMDA-ALTRK	\$3.99



**MULTI-FUNCTION CONTROLLER**

2-WIRE, 120 VOLT, RF REMOTE CONTROL

Powers and controls SMD neon strip lights. Dimmer, timer, and 8 dynamic effect settings.

Item Number	Each
NSMDA-DIM	\$59.99



**HEAT MELT SHRINK TAPE KIT**

3 SIZES: 12V, 3/8-1/2", NEON/RGB

Make a weather-tight seal on rope and strip light connections. Kit seals 2 connections.

Item Number	Each
MISC-OUTDOOR*	\$2.99

\*Specify Size: S-12V, M-3/8"/1/2", L-Neon/RGB





### 12 Volt 3528 SMD LED Strip Lights 16.4 Foot Spools

- 12 Volt DC, 1.46 Watts per foot
- Self adhesive backing
- 0.47" W x 0.16" H, 2-wire with 0.55" LED spacing
- Lumen Output: up to 6 lumens/LED
- LED Count: 60 LEDs/m
- Directional light output
- Extended life up to 50,000 hours
- Cuttable in: 2.0" lengths
- Use indoors and outdoors - Max run 16.4' (in series)
- Temperature rating: -60°F - 130°F
- IP65 (with properly sealed connections)
- Dimmable

Accessories included with each spool:

- (1) Female Power Connector (pre-installed)

Item Number	Color	Per Spool
STRP3528-65*	SPECIFY	\$49.99


\*Specify Color when ordering: B-Blue, CW-Cool White, G-Green, R-Red, WW-Warm White, Y-Yellow



12 VOLT



Directional Light Output



#### 2A POWER SUPPLY

3528, 12V, 2 AMP  
Use to power LED strip lights.  
Max Run: 3528 - 16.4'

Item Number	Each
STRP12A-24PWR	\$16.99



### 12 Volt 5050 SMD LED Strip Lights 16.4 Foot Spools


- 12 Volt DC, 4.1 Watts per foot
- Self adhesive backing
- 0.47" W x 0.16" H, 2-wire with 0.39" LED spacing
- Lumen Output: up to 15 lumens/LED
- LED Count: 60 LEDs/m
- Directional light output
- Extended life up to 50,000 hours
- Cuttable in: 2.0" lengths
- Use indoors and outdoors - Max run 16.4' (in series)
- Temperature rating: -60°F - 130°F
- IP65 (with properly sealed connections)
- Dimmable

Accessories included with each spool:

- (1) Female Power Connector (pre-installed)

Item Number	Color	Per Spool
STRP5050-65*	*SPECIFY	\$59.99

\*Specify Color when ordering: B-Blue, CW-Cool White, G-Green, R-Red, WW-Warm White, Y-Yellow



12 VOLT



Directional Light Output



#### 6A POWER SUPPLY

3528/5050/RGB, 12V, 6 AMP  
Runs over 20' must be wired in parallel.  
Max Run: 3528 - 49', 5050 - 32'

Item Number	Each
STRP12A-72PWR	\$24.99






## 12 Volt Color Changing RGB 5050 SMD LED Strip Lights 16.4 Foot Spools

- 12 Volt DC, 4.1 Watts per foot
- Self adhesive backing
- 0.47" W x 0.16" H, 2-wire with 0.39" LED spacing
- Lumen Output: up to 10 lumens/LED
- LED Count: 60 LEDs/m
- Directional light output
- Extended life up to 50,000 hours
- Cuttable in: 2.0" lengths
- Use indoors and outdoors - Max run 16.4' (in series)
- Temperature rating: -60°F - 130°F
- IP65 (with properly sealed connections)
- Controller required for use, sold separately.

Accessories included with each spool:  
• (1) Female Power Connector (pre-installed)


Item Number	Per Spool
STRP5050-65RGB	\$69.99



12 VOLT



Directional Light Output



Features Tri-Chip Color Changing Technology




### RGB MINI CONTROLLER

RGB, 12V, IR REMOTE

Isolate colors, dim colors, or select from many different effect patterns.

Item Number	Each
STRP1250A-MRGBCN	\$19.99




### WATERPROOF RGB AMPLIFIER

RGB, 12V, 4 AMPS/CHANNEL

Use with 15A power supply to connect multiple runs of RGB strip light to a controller.

Item Number	Each
STRP12A-RGBAMP	\$44.99

## 12V RGB LED STRIP LIGHT ACCESSORIES



### 12V RGB BULK WIRE

12V, 5050 RGB

Additional RGB 4-wire for RGB strip lights. Price per foot, minimum 5 feet.

Item Number	Per Foot
STRP1250A-4W*	\$0.49



### RGB 4-PIN CONNECTOR

IP22 5050 RGB

Use with 4-pin connectors to hard wire RGB strip lights.

Item Number	Each
STRP1250A-4WCON	\$2.99



### RGB Y CONNECTOR

5050 RGB

Use to split RGB strip into 2 runs. 16' strip light max run.

Item Number	Each
STRP1250A-RGBYCON	\$2.99




### RGB 3-WAY SPLITTER

5050 RGB

Use to split RGB strip into 3 runs. Can not connect more than 16' of strip light.

Item Number	Each
STRP1250A-RGB3CON	\$4.99



### MINI RGB CONNECTORS

IP65 5050 RGB

Use in tight locations or where a full size connector is not required.

Item Number	Each
STRP1250A-RGB5CM*	\$1.99-2.49

\*J-Jumper, Y-Y Connector



### RGB SOLDERLESS JUMPERS

IP22/IP65 5050 RGB

Use to bridge a gap, turn corners, or to join 2 runs of RGB strip light.

Item Number	Each
STRP1250A-RGBJUMP	\$3.49

\*22-IP22 Rated, 65-IP65 Rated



### RGB SOLDERLESS CONNECTORS

IP22/IP65 5050 RGB

Simple snap on connector. Use to hard wire your RGB strip light to accessories.

Item Number	Each
STRP1250A-RGBVCON	\$3.49

\*22-IP22 Rated, 65-IP65 Rated



### SOLDERLESS RGB SPLICES

IP22/IP65 5050 RGB

Use to join 2 runs of IP22 RGB strip light. 16' strip light max run.

Item Number	Each
STRP12A-RGBSPL	\$0.99

\*22-IP22 Rated, 65-IP65 Rated



### 12 Volt Variable White SMD LED Strip Lights 16.4 Foot Spools

- 12 Volt DC, 4.93 Watts per foot
- Self adhesive backing
- 0.47" W x 0.16" H, 2-wire with 0.39" LED spacing
- Lumen Output: up to 10 lumens/LED
- LED Count: 60 LEDs/m
- Directional light output
- Extended life up to 50,000 hours
- Cuttable in: 2.0" lengths
- Max run 16.4' (in series)
- Temperature rating: -60°F - 130°F
- IP22 - indoor use only
- Controller required for use, sold separately.

Accessories included with each spool:

- (1) Female Power Connector (pre-installed)



Item Number	Per Spool
STRP5050-22VW	\$54.99



12 VOLT



Directional Light Output



### VARIABLE WHITE LED STRIP LIGHT CONTROLLER

12V, RF REMOTE

Adjust the brightness and color temperature of your 12V variable white LED strip lights. On/Off, pre-set brightness buttons, and custom touch color temp and brightness settings.

Item Number	Each
STRP12A-VWCN	\$24.99



### 12 Volt Color Chasing RGB 5050 SMD LED Strip Lights 16.4 Foot Spools

- 12 Volt DC, 2.2 Watts per foot
- Self adhesive or magnetic backing (sold separately)
- 0.47" W x 0.16" H, 2-wire with 0.39" LED spacing
- Lumen Output: up to 5 lumens/LED
- LED Count: 30 LEDs/m
- Directional light output
- Extended life up to 50,000 hours
- Cuttable in: 2.0" lengths
- Use indoors and outdoors - Max run 16.4' (in series)
- Temperature rating: -60°F - 130°F
- IP67 (with properly sealed connections)
- Controller required for use, sold separately.

Accessories included with each spool:

- (1) Female Power Connector (pre-installed)


Item Number	Per Spool
STRP1250-CRGB	\$79.99



12 VOLT



Directional Light Output



Multiple Chasing Effects



### CHASING STRIP LIGHT CONTROLLER

12V, RF REMOTE CONTROLLER

Create amazing color changing, fading, and chasing effects using this 12 volt Programmable LED Light Controller with our RGB Chasing LED Strip Lights. There are 133 Program settings to choose; from steady burn to fading, to numerous chasing options.

Item Number	Each
STRP1250A-CRGBCN	\$49.99






**12V Color Changing RGB 5050 SMD 16.4' LED Strip Light Bundle**

Items included with bundle:

- (1) 16.4' RGB Color Changing LED Strip Light Spool
- (1) 12V 6 Amp Power Supply
- (1) 12V RGB LED Strip Light Controller with Remote
- (1) Power Connector (pre-installed)

Item Number                      Per Bundle  
 STRP1250-BDRGBKIT              \$89.99



SAVE \$30 WITH OUR BUNDLE DEAL!





**12 Volt Plug and Play Color Changing RGB SMD-5050 8' LED Strip Light Kit**

- 12 Volt DC, 2.1W/ft
- Lumen Output: up to 5 lumens/LED, 30 LEDs/m
- 8.0' Spool (4 x 2' Sections)
- Lifetime: 30,000 Hours
- Max Run Length: 20.0'
- IP65 Waterproof rating
- Self adhesive backing

Items included with bundle:

- (4) 2.0' RGB Color Changing LED Strip Light Connectable Sections
- (1) 12V Outdoor Rated Power Supply
- (1) 12V RGB LED Strip Light Controller with Remote
- (3) Jumper Connectors
- (6) Heat Shrink Tubing

Item Number                      Per Kit  
 STRP1250-RGBKIT              \$29.99




**12 Volt Color Chasing RGB 5050 SMD 16.4' LED Strip Light Bundle**

Items included with bundle:

- (1) 16.4' RGB Chasing LED Strip Light Spool
- (1) 12V 5 Amp Standard Power Supply
- (1) 12V RGB Chasing LED Strip Light Controller with Remote
- (1) Male Power Connector (pre-installed)
- (1) Female Power Connector (pre-installed)

Item Number                      Per Bundle  
 STRP1250-CRGGBN              \$119.99







### 2A POWER SUPPLY

3528, 12V, 2 AMP  
Use to power LED strip lights.  
Max Run: 3528 - 16.4'

Item Number	Each
STRP12A-24PWR	\$16.99



### 5A POWER SUPPLY

3528, 12V, 5 AMP, WATERPROOF  
Runs over 20' must be wired in parallel.  
Max Run: 3528 - 41'

Item Number	Each
STRP12A-60PWRW	\$39.99



### 6A POWER SUPPLY

3528/5050/RGB, 12V, 6 AMP  
Runs over 20' must be wired in parallel.  
Max Run: 3528 - 49', 5050 - 32'

Item Number	Each
STRP12A-72PWR	\$24.99



### 15A POWER SUPPLY

3528/5050, 12V, 15 AMP  
Runs over 20' must be wired in parallel.  
Max Run: 3528 - 123', 5050 - 44'

Item Number	Each
STRP12A-180PWR	\$59.99



### 12V DIMMABLE DRIVERS

3528/5050/RGB, 12V  
Dimmable 12V DC power supply.  
20, 40, 60, and 100 Watt models.

Item Number	Each
STRP12A-*DD	\$79.99-109.99



### 12V INLINE DIMMER

3528/5050, 12V, RF REMOTE  
Adjust the brightness of your 12V strip lights.  
Also has effects with adjustable speed.

Item Number	Each
STRP12A-DIM	\$19.99



### MAGNETIC TAPE

16.4 FOOT ROLL  
Secure 12V strip lights to a ferromagnetic surface. Perfect for easy, no mess removal.

Item Number	Each
MISC-MAGTAPE	\$19.99



### DOUBLE SIDED MOUNTING TAPE

3M™ INDUSTRIAL STRENGTH, 10' ROLL  
Professional-quality tape, use to secure lights as well as lighting accessories.

Item Number	Each
MISC-TAPE	\$9.99



### BENDABLE MOUNTING TRACK

39", ALUMINUM, 3528/5050/RGB  
Bendable profile track. Includes plastic diffuser, 2x clips & 2x end caps.

Item Number	Each
STRP12A-BP	\$4.99



### POWER CONNECTOR

3528/5050, PIG-TAIL  
Connect strip light to a power supply or barrel connector.

Item Number	Each
SMD-*PCONN	\$2.49

\*Specify M-Male, F-Female



### MOUNTING CLIPS

3528/5050 (10/BAG)  
Flexible plastic clips help to make your lighting project more secure.

Item Number	Each
SMD-CLIPS	\$4.99



### BARREL PLUG CONNECTORS

3528/5050/RGB, FEMALE OR MALE  
Use a connector on a pig tail wire to attach to other barrel plug connectors.

Item Number	Each
STRP12A-BCON(F/M)	\$1.49



### INLINE ON/OFF SWITCH

3528/5050/RGB, 12V, 6 AMP  
Turn off your lights without having to disconnect the power supply.

Item Number	Each
SWT-1CH	\$6.99



### 2 WAY SPLITTER

3528/5050/RGB  
Use to split power for multiple runs. 16' strip light max run.

Item Number	Each
STRP12A-2CON	\$4.99



### 3 WAY SPLITTER

3528/5050/RGB  
Use to split power for multiple runs. 16' strip light max run.

Item Number	Each
STRP12A-3CON	\$5.99



### 4 WAY SPLITTER

3528/5050/RGB  
Use to split power for multiple runs. 16' strip light max run.

Item Number	Each
STRP12A-4CON	\$6.99



### SOLDERLESS SPLICES

IP22/IP65, 3528/5050  
Directly connect 2 runs of strip light. 16' strip light max run.

Item Number	Each
STRP12A-22SPL	\$0.99
STRP12A-65SPL	\$0.99

\*22SPL-IP22 Rated, 65SPL-IP65 Rated



### SOLDERLESS JUMPERS

IP22/IP65, 3528/5050  
Use to join 2 runs of strip light. 16' strip light max run.

Item Number	Each
STRP12A-22JUMP	\$3.49
STRP12A-65JUMP	\$3.49

\*22JUMP-IP22 Rated, 65JUMP-IP65 Rated



### SOLDERLESS CONNECTORS

IP22/IP65, 3528/5050  
Use to hard wire your strip light to a power supply, dimmer, etc. 16' strip light max run.

Item Number	Each
STRP12A-22CON	\$2.99
STRP12A-65CON	\$3.49

\*22CON-IP22 Rated, 65CON-IP65 Rated




### MINI SOLDERLESS CONNECTORS

IP65 3528/5050  
Use to turn corners or to connect sections of strip light together in L or T configurations.

Item Number	Each
STRP12A-5CMJ	\$1.99
STRP12A-5CMY	\$2.49

\* 5CMJ-Mini Jumper, 5CMY-Mini Y



**LED Duplex Guidelight**  
LED DOWNLIGHT OUTLET COVER

Easy-to-install and energy-efficient design safely transforms your outlet coverplate into a convenient night light. It requires no wires or batteries and leaves all outlets free for use! Light sensor allows for auto on/off.

Item Number	Each
SP-DECGW	\$14.99

\*Not compatible with GFCI outlets



**LED Decor Guidelight**  
LED DOWNLIGHT OUTLET COVER

Easy-to-install and energy-efficient design safely transforms your outlet coverplate into a convenient night light. It requires no wires or batteries and leaves all outlets free for use! Light sensor allows for auto on/off.

Item Number	Each
SP-DUPGLW	\$14.99

\*Not compatible with GFCI outlets



**LED Toggle Switchlight**  
LED DOWNLIGHT SWITCH COVER

Easy-to-install and energy-efficient design safely transforms your light switch into a night-light. It requires no wires or batteries and lasts 25+ years! Switch not included. Adjust LED brightness with 4 settings: High, Low, Off and Automatic.

Item Number	Each
SP-TOGSLW	\$16.99

\*Not compatible with 3 way switches



**LED Decor Switchlight**  
LED DOWNLIGHT SWITCH COVER

Easy-to-install and energy-efficient design safely transforms your light switch into a night-light. It requires no wires or batteries and lasts 25+ years! Switch not included. Adjust LED brightness with 4 settings: High, Low, Off and Automatic.

Item Number	Each
SP-DECSLW	\$16.99

\*Not compatible with 3 way switches



**9W LED Puck Light Kit**

- 12 Volt DC, 12V Power supply included
- Wattage: 9.0W/Puck, 3 x 3.0W LEDs
- Dimensions: 2.75" Dia. x 0.5625" D
- Housing: Aluminum
- Lifetime: 50,000 Hours
- Beam Angle: 120°
- Lumen Output: 640lm
- Color Temp: 6,000K
- Certifications: ETL Listed

Accessories included with each kit:

- (1) 12V Power Supply
- (2) Daisy Chain Extensions
- (6) LED Puck Light Mounting Screws
- (4) Mounting Clips with Screws



Item Number	Per Kit
UCLP-9CW	\$69.99



**4.5W LED Puck Light Kit**

- 12 Volt DC, 12V Power supply included
- Wattage: 4.5W/Puck, 3 x 1.5W LEDs
- Dimensions: 3.0" Dia. x 0.875" D
- Housing: White Plastic
- Lifetime: 50,000 Hours
- Beam Angle: 45°
- Lumen Output: 280lm
- Color Temp: CW-6,000K, WW-3,000K
- Certifications: ETL Listed

Accessories included with each kit:

- (1) 12V Power Supply
- (2) Daisy Chain Extensions
- (6) LED Puck Light Mounting Screws
- (4) Mounting Clips with Screws



Item Number	Color	Per Kit
UCLP-4*	*SPECIFY	\$49.99

\*Specify Color when ordering:  
CW-Cool White, WW-Warm White



**3528 & 5050 SMD LED**  
**12 Volt Rigid Light Bars**

- 12 Volt DC, 12V Power supply required
- Dimensions: 19.6" L x 0.6" W x 0.35" H
- 3528: 60 LEDs/Bar, 5050: 30 LEDs/Bar
- Output: 3528: 4-5 lm/LED, 5050: 10-12 lm/LED
- Lifetime: 50,000 Hours
- Power Consumption: 3528: 7.8W/Bar, 5050: 12.0W/Bar
- IP68 Waterproof rating
- Dimmable
- Aluminum construction

Accessories included with Each Bar:

- (1) Male Power Connector (pre-installed)
- (1) Female Power Connector (pre-installed)



Item Number	Color	Per Bar
RIGID-SMD3528-*	*SPECIFY	\$19.99
RIGID-SMD5050-*	*SPECIFY	\$27.99

\*Specify Color when ordering: B-Blue, G-Green, R-Red, Y-Yellow



**12V POWER SUPPLY 100W**  
100 WATT, 8 AMP, WATERPROOF  
Powers up to 11-3528 Rigid Bars, or 7-5050 Rigid Bars. Indoor/Outdoor rated.

Item Number	Each
RIGID-PWRSUP-8A	\$59.99



**POWER CONNECTOR**  
12 VOLT, 3528/5050/5630  
Use to link 3528, 5050 & 5630 rigid light bars or to connect to a power supply.

Item Number	Each
RIGID-PCON-*	\$1.99

\*Specify M-Male, or F-Female




### Flush Mount LED Under Cabinet Light Bar

- Ultra thin low profile under cabinet design
- 24 Volt DC, 24V Power supply required
- Dimensions: 1.3" W x 0.3" H
- Sizes: 11.8"/LCL-300, 23.6"/LCL-600, or 35.4"/LCL-900
- LED Count: 42/LCL-300, 84/LCL-600, 132/LCL-900
- Lumen Output: 200/LCL-300, 420/LCL-600, 630/LCL-900
- Color Temp: CW-6,000K, NW-5,000K, WW-3,800K
- Lifetime: 50,000 Hours
- Power Consumption:
- 3.0W/LCL-300, 6.0W/LCL-600, 9.0W/LCL-900
- Dimmable

Accessories included with Each Ruler:

- (2) Flush Mount Metal Clips
- (4) Mounting Screws
- (1) Male-to-Male Extension
- (1) End-to-End Connector



Item Number	Length	Color	Per Bar
LCL-300-*	11.8 in.	*SPECIFY	\$19.99
LCL-600-*	23.6 in.	*SPECIFY	\$39.99

\*Specify Color when ordering: CW-Cool White, NW-Natural White, WW-Warm White



### Corner Mount LED Under Cabinet Light Bar

- Corner mount under cabinet design
- 24 Volt DC, 24V Power supply required
- Dimensions: 1.3" W x 0.5" H
- Sizes: 11.8"/LCL-T300, 19.7"/LCL-T500
- LED Count: 42/LCL-T300, 72/LCL-T500
- Lumen Output: 200/LCL-T300, 350/LCL-T500
- Color Temp: CW-6,000K, NW-5,000K, WW-3,800K
- Lifetime: 50,000 Hours
- Power Consumption: 3.0W/LCL-T300, 5.0W/LCL-T500
- Dimmable

Accessories included with Each Ruler:

- (2) Corner Mount Metal Clips
- (2) Flush Mount Metal Clips
- (8) Mounting Screws
- (1) Male-to-Male Extension
- (1) End-to-End Connector



Item Number	Length	Color	Per Bar
LCL-T300-*	11.8 in.	*SPECIFY	\$19.99
LCL-T500-*	19.7 in.	*SPECIFY	\$29.99
LCL-T600-*	23.6 in.	*CW or WW	\$39.99

\*Specify Color when ordering: CW-Cool White, NW-Natural White, WW-Warm White

### LED UNDER CABINET LIGHT ACCESSORIES



**6W 24V POWER SUPPLY**  
24 VOLT, INDOOR USE ONLY  
Powers 2/LCL-300, LCL-T300,  
1/LCL-T500, or 1/LCL-600.

Item Number	Each
LCL-6W-PWR	\$9.99



**12W 24V POWER SUPPLY**  
24 VOLT, INDOOR USE ONLY  
Powers 4/LCL-300, LCL-T300,  
2/LCL-T500, 2/LCL-600, or 1/LCL-900.

Item Number	Each
LCL-12W-PWR	\$12.99



**LED TOUCH DIMMER**  
24 VOLT, INDOOR USE ONLY  
Use to dim all LED ruler lights  
with touch interface.

Item Number	Each
LCL-TDIM	\$19.99



**24W 24V POWER SUPPLY**  
24 VOLT, INDOOR USE ONLY  
Powers 8/LCL300, LCL-T300,  
4/LCL-T500, 4/LCL-600, or 2/LCL-900.

Item Number	Each
LCL-24W-PWR	\$16.99



## 4' HYBRID LED T8

- Input: 120 Volt AC
- Power Consumption: 18.0 Watts
- Lumen Output: 2,200
- Color Temp:  
CW-5,000K, NW-4,000K
- CRI: 80
- Beam Angle: 120°
- G13 Double pin base
- Dimensions: 1.0" Diameter
- Ballast Compatible: Yes, electronic only
- Lifetime: 50,000 Hours
- 5 Year warranty
- Clear glass with removeable frosted film
- Listings: DLC, UL, RoHS - contains no mercury or lead



Item Number	Color	Each	Case Price (25)
T8-DLCWL18*	*SPECIFY	\$9.99	\$199.75 (7.99 ea.)

\*Specify Color when ordering: CW-Cool White, NW-Natural White




## 4' Plant Growth LED T8

- Input: 85-240 Volt AC
- Power Consumption: 15.0 Watts
- Lumen Output: 560
- Color Wavelengths:  
Blue: 460 nm  
Red: 630 nm
- Beam Angle: 120°
- G13 Double pin base
- Dimensions: 1.125" Diameter
- Ballast Compatible: No, bypass only
- Lifetime: 30,000 Hours
- 2 Year warranty
- Poly carbonate lens, rear aluminum heat sink
- Listings: CE, RoHS - contains no mercury or lead



Item Number	Each
T8-15GL96-RB	\$19.99



## INTEGRATED LED T8 FIXTURES

Integrated LED T8 lighting is one of the easiest, least expensive ways to add lighting to your shop, house, office, warehouse, or commercial space. These versatile easy to install, self contained T8 lights are an all in one solution. No need to purchase a separate fixture. Interchange the included hard wire cord for a cord with a standard outlet plug. End to end linkable with a splice connector or use the corded splice to turn corners. Whatever the your lighting project, you will enjoy the ease and versatility of this LED lighting solution.

## 2' & 4' INTEGRATED LED T8

- Input: 120 Volt AC
- Power Consumption: 2'-10.0W/4'-20W
- Lumen Output: 2'-1,000/4'-2,000
- Color Temp: CW-6,000K (NW-4,000K & WW-3,000K Special Order)
- Beam Angle: 180°
- Lifetime: 30,000 Hours
- Dimensions: 1.38" H x 1.3" W
- Color Accuracy: CRI-75
- 2 Year warranty
- Listings: CE, RoHS

Item Number	Color	Per Bar
T8-INT-2*	*SPECIFY	\$9.99
T8-INT-4*	*SPECIFY	\$12.99

\*Specify Color when ordering: CW-Cool White, NW-Natural White, WW-Warm White



## INTEGRATED LED T8 ACCESSORIES



### POWER CORD

120V, 3-PRONG OR BARE WIRE  
Use to connect fixture to a standard outlet. Connect up to 10x 2' fixtures, or 7x 4' fixtures.

Item Number	Each
T8-INT-PWR*	\$3.99-\$5.99

\*Specify Length when ordering: 20", 39", 78", 20" Bare Wire



### F-TO-F CONNECTOR

AVAILABLE IN 3 LENGTHS  
Use to connect 2 fixtures with a space in between.

Item Number	Each
T8-INT-FF*	\$1.99-\$3.99

\*Specify Length when ordering: 20", 39", 78"



### SPLICE CONNECTOR

2 PACK  
Use to connect 2 fixtures end-to-end. Connect up to: 10x 2' or 7x 4' fixtures


Item Number	Each
T8-INT-SPL	\$1.99



### MOUNTING CLIPS


2 PACK  
Use to mount a fixture to any flat surface Indoor use only.

Item Number	Each
T8-INT-CLIPS	\$1.99




**LED SPIDER WEB**  
COOL WHITE MOTIF

Dimensions: 29.0" W x 29.0" H  
Power Consumption: 18.0W, 0.16A  
Hanging ring included  
Item Number Each  
SILL-MOWEB \$54.99




**LED BAT**  
PURPLE MOTIF

Dimensions: 23.0" W x 8.0" H  
Power Consumption: 4.5W, 0.05A  
Hanging ring included  
Item Number Each  
SILL-MOBAT \$29.99



**LED HALLOWEEN WITCH**  
COOL WHITE MOTIF

Dimensions: 34.0" W x 18.0" H  
Power Consumption: 10.0W, 1.0A  
Hanging ring included  
Item Number Each  
SILL-MOWITCH \$44.99



**LED CAT**  
PURPLE MOTIF

Dimensions: 13.0" W x 19.0" H  
Power Consumption: 4.5W, 0.05A  
Hanging ring included  
Item Number Each  
SILL-MOCAT \$29.99



**HALLOWEEN WITCH**  
MULTI COLORED MOTIF

Dimensions: 32.0" W x 32.0" H  
Power Consumption: 62.0W, 0.5A  
Hanging ring included  
Item Number Each  
102MOWITCH \$79.99



**8' SCARY PUMPKIN MONSTER INFLATABLE**  
120V INDOOR/OUTDOOR DISPLAY

Includes adaptor, fan and bulbs  
Tie down kit included  
LED Lights inside  
Item Number Each  
INFL-HL803 \$79.99



**4' MONSTER PUMPKIN HEAD INFLATABLE**  
120V INDOOR/OUTDOOR DISPLAY

Includes adaptor, fan and bulbs  
Tie down kit included  
LED Lights inside  
Item Number Each  
INFL-HL801 \$39.99



**6.5' HEADLESS HORSEMAN INFLATABLE**  
120V INDOOR/OUTDOOR DISPLAY

Includes adaptor, fan and bulbs  
Tie down kit included  
LED Lights inside  
Item Number Each  
INFL-HL802 \$149.99



**4' GHOST INFLATABLE**  
120V INDOOR/OUTDOOR DISPLAY

Includes adaptor, fan and bulbs  
Tie down kit included  
LED Lights inside  
Item Number Each  
INFL-HL800 \$39.99



**HALLOWEEN PUMPKIN FAMILY INFLATABLE**  
120V 7' 8" W x 3' H, INDOOR/OUTDOOR DISPLAY

Includes adaptor, fan and bulbs  
Tie down kit included  
LED Lights inside  
Item Number Each  
INFL-HL805 \$59.99



**LED HALLOWEEN PUMPKIN LIGHTS**  
BATTERY POWERED, ON/OFF/TIMER SWITCH

20 Pumpkins with super bright LEDs inside  
6' 6" Overall length with 12" leads. Pumpkins spaced 4" apart. Requires 3 "AA" Batteries (not included)  
Item Number Each  
SLIM5-BPUM \$14.99



**FLICKER FLAME BULBS**  
INDOOR/OUTDOOR

Amber or Purple flicker flame bulbs  
C7/E12 Base bulb, 2 bulbs per pack  
120 Volt, 3 Watts per bulb  
300 Hour Lifetime  
Item Number Each  
SLBC7I-FF\* \$2.99

\*Specify Color when ordering: A-Amber, P-Purple



**FLICKER FLAME STRING LIGHTS**  
120V INDOOR/OUTDOOR


Amber or Purple flicker flame bulbs  
10 Bulbs/sockets spaced 12" apart  
C7 Black SPT1 wire and sockets  
11 watts, 0.1 amps, end-to-end plugs  
Item Number Each  
SLIC7-FF\* \$19.99

\*Specify Color when ordering: A-Amber, P-Purple




**HALLOWEEN MINI LIGHT SET**  
120V INDOOR/OUTDOOR

100 Purple and orange bulbs with black wire  
50 ft total length, 6" bulb spacing  
120 Volt, 42 Watts, 0.4 Amps  
End-to-end plugs/connect up to 3 sets  
Item Number Each  
SLIM5-100PO \$17.99




**LED SPIDER WEB NET LIGHT**  
3', PURPLE, 120V

100 Purple bulbs with black wire  
36" x 36" Overall size  
Lighted scary spider in web center  
UL Listed for indoor/outdoor use  
Item Number Each  
HL-WEB \$29.99




**LED DOUBLE HEARTS**  
INDOOR/OUTDOOR  
23.0" W x 18.0" H  
Power: 29.0W, 0.25A  
Hanging ring included  
Item Number Each  
103M0807 \$35.99




**LED CUPID'S ARROW**  
INDOOR/OUTDOOR  
24.0" W x 15.0" H  
Power: 34.0W, 0.29A  
Hanging ring included  
Item Number Each  
103M0806 \$34.99




**LED CUPID WITH BOW**  
INDOOR/OUTDOOR  
36.0" W x 36.0" H  
Power: 19.0W, 0.17A  
Hanging ring included  
Item Number Each  
103MOLCUPID \$99.99



**LED FLUR DE LIS**  
YELLOW & PURPLE  
24.5" W x 25.0" H  
Power: 13.5W/1.2A  
Hanging ring included  
Item Number Each  
SILL-MOLFDL \$69.99




**LED COURT JESTER**  
GREEN, PURPLE, YELLOW  
24.0" W x 26.0" H  
Power: 8.5W, 0.1A  
Hanging ring included  
Item Number Each  
SILL-MOLJESTER \$84.99



**LED USA FLAG**  
INDOOR/OUTDOOR  
24.0" H x 24.0" H  
Premium UV protected ropelight  
Hanging ring included  
Item Number Each  
SILL-MOLFLAG \$99.99




**LED USA MOTIF**  
ANIMATED MOTIF  
36.0" H x 12.0" H  
Premium UV protected ropelight  
4 Function controller included  
Item Number Each  
SILL-MOLUSA \$99.99



**PINK FLAMINGO**  
INDOOR/OUTDOOR  
19.5" W x 37.0" H  
Power: 50.0W, 0.43A  
Stand and Hanging ring included  
Item Number Each  
SILL-MO3718 \$54.99



**LED SAGUARO CACTUS**  
6' WITH MOON & COYOTE  
36.0" W x 72.0" H  
Power: 56.0W/0.4A  
Hanging ring included  
Item Number Each  
SILL-MOL716 \$199.99



**LED CACTUS IN BLOOM**  
3' WITH RED FLOWERS  
18.0" W x 36.0" H  
Power: 21.0W/0.15A  
Hanging ring included  
Item Number Each  
SILL-MOL715 \$109.99




**LED BETHLEHEM STAR**  
COOL WHITE  
24.0" W x 34.0" H  
Power: 10.0W/0.1A  
Hanging ring included  
Item Number Each  
100MOLT901 \$89.99




**LED DOUBLE STAR**  
WARM WHITE MOTIF  
22.0" W x 22.0" H  
Power: 6.7W/0.07A  
Premium UV protected rope light  
Item Number Each  
SILL-MOLSTAR2 \$59.99



**LED STAR**  
BLUE & COOL WHITE  
33.0" W x 32.0" H  
Premium UV resistant rope light  
Hanging rings included  
Item Number Each  
SILL-MOL37 \$149.99




**LED SHAMROCK**  
LED MOTIF  
24.0" W x 24.0" H  
Power: 6.3W/0.07A  
Hanging ring included  
Item Number Each  
SILL-MOLSHAM \$59.99




**LED EASTER BUNNY**  
MULTI COLORED MOTIF  
25.0" W x 36.0" H  
Power: 14.0W/0.13A  
Hanging ring included  
Item Number Each  
SILL-MOLBUNNY \$99.99




**WHITE DOVES**  
WHITE INCANDESCENT  
24.0" W x 11.0" H  
Power: 60.0W, 0.5A  
Hanging ring included  
Item Number Each  
102M0951 \$29.99



**LED DOVE**  
21" OR 30" DOVES  
21" - 21.0" W x 17.0" H  
30" - 30.0" W x 30.0" H  
Hanging ring included  
Item Number Each  
SILL-MOLDOVE1 (21") \$69.99  
SILL-MOLDOVE (30")E \$79.99



**LED CROSSES**  
2' OR 6' COOL WHITE  
2' - 15.0" W x 24.0" H  
6' - 45.0" W x 72.0" H  
Hanging ring included  
Item Number Each  
SILL-MOLCROSS2 (2') \$49.99  
SILL-MOLCROSS6 (6')E \$139.99



**LED PALM TREES**  
25"/34" PALM TREE  
25" - 19.0" W x 25.0" H  
34" - 23.0" W x 34.0" H  
Hanging ring included  
Item Number Each  
SILL-MOLPALM (25") \$79.99  
SILL-MOLPALM1 (34") \$109.99



**LED LAMP POST**  
WHITE OR BLACK  
13.5" W x 53.0" H  
Power: 3.8W/0.06A  
Indoor/Outdoor use  
Item Number Each  
100MOLPOST-B \$79.99  
100MOLPOST-W \$79.99





### CHILI PEPPER WREATH

GREEN, RED & YELLOW  
120 Volt AC  
Dimensions: 16.0" W x 16.0" H  
96 Pepper lights  
Stacking plug  
Item Number Each  
10235PLW \$24.99



### CHILI PEPPER CLUSTERS

INDOOR/OUTDOOR  
120 Volt AC  
Bulb Count: 35, bulb length: 16"  
Length: 4.0'  
Stackable male plug  
Item Number Each  
10235PL2-\* \$12.99-\$17.99  
\*Specify Color when ordering: G-Green, M-Multi, R-Red, Y-Yellow



### CHILI PEPPER STRING SETS

INDOOR/OUTDOOR  
120 Volt AC  
Bulb Count: 35 with 5" spacing  
Length: 14.5'  
Stackable end-to-end plug  
Item Number Each  
10235PL1-\* \$19.99  
\*Specify Color when ordering: G-Green, R-Red



### C7 FLICKER BULB

INDOOR/OUTDOOR  
Clear flicker flame bulbs  
C7/E12 Base, 2 per pack  
120 Volt, 2 Watts per bulb  
300 Hour Lifetime  
Item Number Each  
SLBC7I-FFC \$2.99



### CHILI PEPPER BULBS

3 BULBS/PACK, INDOOR/OUTDOOR  
LED Count: 3 Super Bright LEDs per Bulb  
Base: C9/E17 Intermediate Base  
Input: 120 Volt AC, 0.37 W/0.02 A  
Durable high impact plastic with nickel base  
Item Number Each  
C9L-CP3P\* \$8.99  
\*Specify Color when ordering: G-Green, R-Red



### C7 READY MADE STRING LIGHTS

SOCKETS AND WIRE WITHOUT BULBS  
Base Size: C7/E12 Candelabra Base  
Socket Spacing: 12"  
SPT2 insulated wire - 10 Amp rating  
Do not exceed max amperage  
Item Number Length Each  
ML-C725 25' \$14.99  
ML-C750 50' \$24.99  
ML-C7100 100' \$34.99



### C9 READY MADE STRING LIGHTS

SOCKETS AND WIRE WITHOUT BULBS  
Base Size: C9/E17 Intermediate Base  
Socket Spacing: 12"  
SPT2 insulated wire - 10 Amp rating  
Do not exceed max amperage  
Item Number Length Each  
ML-C925 25' \$14.99  
ML-C950 50' \$24.99  
ML-C9100 100' \$34.99



### STANDARD M5 SETS

COMMERCIAL GRADE, UL LISTED  
120 Volt AC  
LED Count: 70 with 4" spacing  
Length: 23.5'  
Power Consumption: 4.8W, 0.05A  
Connect up to 40 sets  
Green wire only  
Item Number PER SET  
LED-M5-\* \$17.99

\*Specify Color when ordering:  
A-Amber, B-Blue, CW-Cool White,  
G-Green, M-Multi Color, P-Purple,  
R-Red, WW-Warm White, Y-Yellow



### WIDE ANGLE M5 SETS

COMMERCIAL GRADE, UL LISTED  
120 Volt AC  
LED Count: 70 with 4" spacing  
Length: 24'  
Power Consumption: 4.8W, 0.04A  
Connect up to 43 sets  
Green wire only  
Item Number PER SET  
LED-M5WA-\* \$17.99

\*Specify Color when ordering:  
A-Amber, CW-Cool White, G-Green,  
M-Multi Color, P-Purple, R-Red,  
WW-Warm White, Y-Yellow



### C6 STRAWBERRY SETS

COMMERCIAL GRADE, UL LISTED  
120 Volt AC  
LED Count: 70 with 4" spacing  
Length: 24'  
Power Consumption: 4.8W, 0.04A  
Connect up to 40 sets  
Green wire only  
Item Number PER SET  
LED-STRAW-\* \$17.99

\*Specify Color when ordering:  
B-Blue, CW-Cool White, G-Green,  
R-Red, WW-Warm White



### G12 RASPBERRY SETS


COMMERCIAL GRADE, UL LISTED  
120 Volt AC  
LED Count: 70 with 4" spacing  
Length: 22.5'  
Power Consumption: 4.4W, 0.08A  
Connect up to 40 sets  
Green wire only  
Item Number PER SET  
LED-RASP-\* \$17.99

\*Specify Color when ordering:  
B-Blue, CW-Cool White,  
G-Green, M-Multi Color,  
R-Red, WW-Warm White

## NET LIGHT SETS

### STANDARD NETS UL LISTED, STEADY BURN

120 Volt AC  
Bulb Count: 200  
Dimensions: 8.0' x 4.0'  
Power Consumption: 98.0W, 0.84A  
Includes: 2 replacement bulbs & 1 fuse  
Connect up to 3 nets  
Green or white wire



Item Number	PER SET
102NET48WW	\$32.99
Item Number	PER SET
102NET48GC	\$27.99

\*Specify Wire Color when ordering: GC-Green, WW-White

### TREE TRUNK WRAP NET UL LISTED, STEADY BURN


120 Volt AC  
Bulb Count: 150  
Dimensions: 6.0' x 15.0'  
Power Consumption: 74.0W, 0.64A  
Includes: 2 replacement bulbs & 1 fuse  
Connect up to 3 nets  
Green wire with clear bulbs



Item Number	PER SET
100NET615GC	\$18.99

### LED FIREWORK ROUND NETS MULTIPLE LIGHTING EFFECTS


120 Volt AC  
Bulb Count: 120  
Dimensions: 4.5' Diameter  
Power Consumption: 7.6W, 0.06A  
Includes 8 function mini controller  
Connect up to 6 nets  
Weatherproof controller and connections



Multi Colored



Cool White



Red White & Blue



Warm White

Item Number	Color	PER SET
LEDNET-120*	*SPECIFY	\$34.99

\*Specify Color when ordering: CW-Cool White, MC-Multi Color, RWB-Red White Blue, WW-Warm White



### HANGING MOUNT BELT LIGHT WHITE ONLY, INDOOR/OUTDOOR

Max Load: 1,200W, 10.0A, 120 Volt AC  
Base Type: E27 Medium  
Socket Spacing: 12"  
Length: 50.0' with 18" power cord installed  
Weatherproof seals built into sockets  
Heavy duty commercial grade construction  
Hanging loop on top of socket  
Cutttable for custom lengths

Item Number	PER SET
DL-10AW	\$99.99



### HANGING MOUNT BELT LIGHT BLACK ONLY, INDOOR/OUTDOOR

Max Load: 1,800W, 15.0A, 120 Volt AC  
Base Type: E27 Medium  
Socket Spacing: 12"  
Length: 50.0' with 18" power cord installed  
Weatherproof seals built into sockets  
Heavy duty commercial grade construction  
Hanging loop on top of socket  
Cutttable for custom lengths

Item Number	PER SET
DL-15AB	\$134.99



### BISTRO BELT LIGHT WHITE OR BLACK, INDOOR/OUTDOOR

Max Load: 1,200W, 10.0A, 120 Volt AC  
Base Type: E27 Medium  
Length: 50.0' with male plug installed  
Weatherproof seals built into sockets  
Heavy duty commercial grade construction  
An excellent solution for gazebos and patios  
Cutttable for custom lengths

Item Number	SPACING	PER SET
DL-BL6*	6"	\$134.99
DL-BL12*	12"	\$99.99
DL-BL18*	18"	\$89.99

\*Specify Color when ordering: B-Black, W-White



### PATIO BELT LIGHT WHITE OR BLACK, INDOOR/OUTDOOR

Max Load: 1,560W, 13.0A, 120 Volt AC  
Base Type: E27 Medium  
Length: 50.0' with male plug installed  
Weatherproof seals built into sockets  
Heavy duty commercial grade construction  
Securely fasten with dual mounting holes  
Cutttable for custom lengths

Item Number	SPACING	PER SET
BL-PB6*	6"	\$169.99
BL-PB12*	12"	\$129.99
BL-PB18*	18"	\$99.99
BL-PB24*	24"	\$79.99

\*Specify Color when ordering: B-Black, W-White



### LED PIXIE BERRY SETS WATERPROOF (12/PACK)

Dimensions: 0.79" diameter  
 Battery Life: 36 hours  
 Power Consumption: 0.06W  
 Effect: Slow fading  
 Waterproof  
 Indoor/Outdoor use

Item Number	COLOR	Each
LNLPB-12*	*SPECIFY	\$16.99

\*Specify Color when ordering:  
 A-Amber, G-Green, LG-Lime Green, O-Orange,  
 Pi-Pink, Pu-Purple, R-Red, WW-Warm White



### RGB LED COLOR CHANGING VASE LIGHT COLOR CHANGING, MULTIPLE EFFECTS

Choose from 16 colors and 4 effects.  
 Dimensions: 6.0" diameter with 18 LEDs  
 Includes AC adapter and remote control  
 Battery power optional-requires 3 AA batteries. Indoor use only

Item Number	Each
LNLVL-6RGB	\$33.99



### LED MINI LIGHTS CLEAR CASE, CLEAR WIRE

Requires 3 AA batteries (not included)  
 LED Count: 18  
 Length: 9.0', includes 3.0' lead  
 On/Off switch, blink or steady burn effect  
 Indoor use only

Item Number	COLOR	Each
102LEDBL-*	*SPECIFY	\$12.99

\*Specify Color when ordering: CW-Cool White, WW-Warm White



### LED MULTI COLOR LIGHTS BLACK CASE, BLACK WIRE

Requires 3 AA batteries (not included)  
 LED Count: 20  
 Length: 6.33', includes 1.0' lead  
 On/Off switch  
 Multi Color bulbs: red, green, blue, yellow

Item Number	Each
102LEDBL-BM	\$9.99



### LED MICRO LIGHTS BLACK CASE, CLEAR WIRE

Requires 3 AA batteries (not included)  
 LED Count: 36 with 4" spacing  
 Length: 12.0' lighted length with 20" lead  
 3 Position switch: ON/OFF/Timer  
 Timer shuts off automatically after 8 hours

Item Number	COLOR	Each
102LEDBLT-*	*SPECIFY	\$18.99

\*Specify Color when ordering:  
 A-Amber, B-Blue, G-Green, R-Red, WW-Warm White








**LED SOLAR WALL LIGHT**  
 AUTOMATIC SENSOR ON/OFF  
 Low light LED's will remain on during darkness and when the motion sensor is triggered, 8 Super Bright LED's will light your way. 3.7V, 200mAh Battery capacity.  
 Item Number Each  
 CLFL-SOLARWL \$24.99



**UL LISTED LED FLOOD LIGHT**  
 120 VOLT, 10 WATT COOL WHITE  
 900 Lumens  
 Over 50,000 Hour Life  
 Color Temperature: 6,000-6,500 K  
 Heavy duty aluminum construction  
 Item Number Each  
 CLFL-10CWUL \$29.99



**LED FLOOD LIGHT**  
 120 VOLT, 30 WATT COOL WHITE  
 3,600 Lumens  
 Over 50,000 Hour Life  
 Color Temperature: 6,000-6,500 K  
 Heavy duty aluminum construction  
 Item Number Each  
 CLFL-30CW \$29.99



**LED FLOOD LIGHT**  
 120 VOLT, 100 WATT COOL WHITE  
 9,000 Lumens  
 Over 50,000 Hour Life  
 Color Temperature: 6,000-6,500 K  
 Heavy duty aluminum construction  
 Item Number Each  
 CLFL-100CW \$79.99



**LED FLOOD LIGHT**  
 10W COOL WHITE SUPER SLIM  
 950 Lumens  
 Over 30,000 Hour Life  
 Color Temperature: 6,000 K  
 IP65 Weatherproof Rating  
 Item Number Each  
 CLFL-10CWSS \$29.99



**LED FLOOD LIGHT**  
 30W COOL WHITE SUPER SLIM  
 2,850 Lumens  
 Over 30,000 Hour Life  
 Color Temperature: 6,000 K  
 IP65 Weatherproof Rating  
 Item Number Each  
 CLFL-30CWSS \$49.99



**LED FLOOD LIGHT**  
 50W COOL WHITE SUPER SLIM  
 4,750 Lumens  
 Over 30,000 Hour Life  
 Color Temperature: 6,000 K  
 IP65 Weatherproof Rating  
 Item Number Each  
 CLFL-50CWSS \$79.99



**LED FLOOD LIGHT**  
 100W COOL WHITE SUPER SLIM  
 9,500 Lumens  
 Over 30,000 Hour Life  
 Color Temperature: 6,000 K  
 IP65 Weatherproof Rating  
 Item Number Each  
 CLFL-100CWSS \$109.99



**LED FLOOD LIGHT**  
 10W COOL WHITE SLIM  
 800 Lumens  
 Over 30,000 Hour Life  
 Color Temperature: 6,000 K  
 Use indoors and outdoors  
 Item Number Each  
 CLFL-10CWSL \$25.99



**LED FLOOD LIGHT**  
 30W COOL WHITE SLIM  
 2,400 Lumens  
 Over 30,000 Hour Life  
 Color Temperature: 6,000 K  
 Use indoors and outdoors  
 Item Number Each  
 CLFL-30CWSL \$39.99



**LED FLOOD LIGHT**  
 50W COOL WHITE SLIM  
 4,000 Lumens  
 Over 30,000 Hour Life  
 Color Temperature: 6,000 K  
 Use indoors and outdoors  
 Item Number Each  
 CLFL-50CWSL \$69.99



**RGB LED FLOOD LIGHT**  
 120 VOLT, 50 WATT RGB LED  
 2,400-3,000 Lumens  
 Over 50,000 Hour Life  
 16 Pre-set colors, 4 auto change effects  
 Includes IR remote control  
 Item Number Each  
 CLFL-50RGB \$99.99



**LED SECURITY FLOOD**  
 120 VOLT, 10 WATT COB LED  
 1,200 Lumens, 6,300K  
 Over 50,000 Hour Life  
 Passive IR Sensing Technology  
 Time, Sensitivity, & LUX controls  
 Item Number Each  
 CLFL-S10CW \$39.99



**LED SECURITY FLOOD**  
 120 VOLT, 50 WATT COB LED  
 6,000 Lumens, 6000-6500K  
 Over 50,000 Hour Life  
 Passive IR Sensing Technology  
 Time, Sensitivity, & LUX controls  
 Item Number Each  
 CLFL-S50CW \$69.99



**RECHARGEABLE LED FLOOD**  
 120 VOLT, 10 WATT COB LED  
 1,200 Lumens, 6000-6500K  
 Over 50,000 Hour Life  
 Heavy duty aluminum case  
 Includes Home and Car Charging Cords  
 Item Number Each  
 CLFL-BATT10 \$35.99



**RECHARGEABLE LED FLOOD**  
 120 VOLT, 15 WATT EPISTAR LED  
 1,100 Lumens, 6000-6500K  
 Over 35,000 Hour Work Life  
 Heavy duty aluminum case  
 Includes Home and Car Charging Cords  
 Item Number Each  
 CLFL-BATT15 \$51.99



## LED Troffer Lights PRODUCTIVITY SERIES

Dimensions: 2' x 2' / 2' x 4'  
 Input Voltage: 100-277V  
 Input Wattage: 30/50W  
 Replacement Wattage: 50/80W  
 Lumen Output: 4,725/6,750  
 Color Temperature: 3,000-5,000K  
 CRI: >70  
 Beam Angle: N/A  
 Temperature Rating: -30°F - 120°F  
 IP Rating: IP44  
 Dimmable: YES  
 Materials:  
 Lifetime: 100,000 Hours  
 Ratings: DLC/CE/FCC/UL  
 Warranty: 5 Years

Item Number	Each
COM-TR2X2/4	\$99.99/\$129.99



## 4' LED Vapor Tight Strip Fixture 2 OR 3 LAMP OPTIONS

Dimensions: 50" W x 5.8" - 8.6" H x 4.2" D  
 Input Voltage: 100-277V  
 Input Wattage: 40/60W  
 Replacement Wattage: 114/216W  
 Lumen Output: 4,600/6,900  
 Color Temperature: 3,000-5,700K  
 CRI: >83  
 Beam Angle: 220°  
 Temperature Rating: -30°F - 120°F  
 IP Rating: IP67  
 Dimmable: YES  
 Materials: Acrylic Lens/Aluminum + Acrylic Body  
 Lifetime: 100,000 Hours  
 Ratings: DLC/UL  
 Warranty: 5 Years

Item Number	Each
COM-4VTL40/60	\$119.99/\$139.99



## LED Area Light PHILLIPS LEDS

Dimensions: 13" W x 3.9" H x 9.1" D  
 Input Voltage: 100-277V  
 Input Wattage: 35/50/80/100/120/150W  
 Replacement Wattage: 175/250/375/500/600/750W  
 Lumen Output: 4,800/7,000/11,000/12,212/15,700/19,500  
 Color Temperature: 3,000-5,700K  
 CRI: >80  
 Beam Angle: 220°  
 Temperature Rating: -30°F - 130°F  
 IP Rating: IP65  
 Dimmable: YES  
 Materials: PC Lens/Aluminum Body  
 Lifetime: 100,000 Hours  
 Ratings: DLC/CE/FCC/UL  
 Warranty: 10 Years

Item Number	Each
COM-ALA*	\$219.99 - \$379.99



## LED High Bay Light INDUSTRIAL RATED

Dimensions: 9.1"/10.3"/12.2" H - 14.2" Diameter  
 Input Voltage: 100-277V  
 Input Wattage: 100/150/240W  
 Replacement Wattage: 400/600/1,000W  
 Lumen Output: 11,800/17,500/25,000  
 Color Temperature: 3,000-5,700K  
 CRI: >70  
 Beam Angle: 100°/60°/20°  
 Temperature Rating: -30°F - 130°F  
 IP Rating: IP44  
 Dimmable: YES  
 Materials: Aluminum Reflector/Aluminum Body  
 Lifetime: 100,000 Hours  
 Ratings: DLC/CE/FCC/UL  
 Warranty: 5 Years

Item Number	Each
COM-HBI*	\$189.99 - \$269.99



## LED High Bay Light RETAIL RATED

Dimensions: 9.1"/10.3"/12.2" H - 14.2" Diameter  
 Input Voltage: 100-277V  
 Input Wattage: 100/150/240W  
 Replacement Wattage: 400/600/1,000W  
 Lumen Output: 11,800/17,500/25,000  
 Color Temperature: 3,000-5,700K  
 CRI: >70  
 Beam Angle: 100°/60°/20°  
 Temperature Rating: -30°F - 130°F  
 IP Rating: IP44  
 Dimmable: YES  
 Materials: Acrylic Reflector/Aluminum Body  
 Lifetime: 100,000 Hours  
 Ratings: DLC/CE/FCC/UL  
 Warranty: 5 Years

Item Number	Each
COM-HBR*	\$219.99 - \$299.99



## LED High Bay UFO Light WATERPROOF RATED

Dimensions: 6.7"/7.5" H - 13.2/16.9" Diameter  
 Input Voltage: 100-277V  
 Input Wattage: 100/150/240W  
 Replacement Wattage: 400/600/1,000W  
 Lumen Output: 13,300/19,500/30,650  
 Color Temperature: 3,000-5,700K  
 CRI: >83  
 Beam Angle: 120°  
 Temperature Rating: -30°F - 150°F  
 IP Rating: IP67  
 Dimmable: YES  
 Materials: Aluminum Body  
 Lifetime: 100,000 Hours  
 Ratings: DLC/CE/FCC/UL  
 Warranty: 10 Years

Item Number	Each
COM-HBUFO*	\$259.99 - \$329.99



**LED Low Bay Canopy Lights**  
SLIM SERIES

Dimensions: 9.5" W x 2.5" H x 9.5" D  
 Input Voltage: 100-277V/277-480V  
 Input Wattage: 28/40/60/90W  
 Replacement Wattage: 100/150/200/250W  
 Lumen Output: 2,800/4,000/6,000/9,000  
 Color Temperature: 3,500-5,700K  
 CRI: >80  
 Beam Angle: 120°  
 Temperature Rating: -30°F - 120°F  
 IP Rating: IP67  
 Dimmable: YES, built in  
 Materials: Ballistic PC Lens/Aluminum Body  
 Lifetime: 100,000 Hours  
 Ratings: DLC/UL  
 Warranty: 5 Years

Item Number	Each
COM-LBCS*	\$119.99 - \$189.99



**LED Wall Pack**  
WITH PHOTOCELL SENSOR

Dimensions: 15.7" W x 9.1" H x 7.4" D  
 Input Voltage: 100-277V  
 Input Wattage: 28/40/60/90W  
 Replacement Wattage: 100/200/300/500W  
 Lumen Output: 2,660/3,721/ 5,300/8,614  
 Color Temperature: 3,000-5,700K  
 CRI: >70  
 Beam Angle: 120°  
 Temperature Rating: -30°F - 130°F  
 IP Rating: IP65  
 Dimmable: NO  
 Materials: Glass Lens/Aluminum Body  
 Lifetime: 100,000 Hours  
 Ratings: DLC/CE/FCC/UL  
 Warranty: 10 Years

Item Number	Each
COM-WPD*	\$99.99 - \$159.99



**LED Flood Lights**  
PHILLIPS LEDES

Dimensions: 13" W x 3.9" H x 9.1" D  
 Input Voltage: 100-277V  
 Input Wattage: 40/60/90/120/150W  
 Replacement Wattage: 150/200/320/480/600W  
 Lumen Output: 4,800/7,200/10,800/14,400/18,000  
 Color Temperature: 3,000-5,700K  
 CRI: >70  
 Beam Angle: 120°  
 Temperature Rating: -30°F - 130°F  
 IP Rating: IP65  
 Dimmable: 150W ONLY  
 Materials: Glass Lens/Aluminum Body  
 Lifetime: 100,000 Hours  
 Ratings: DLC/CE/FCC/UL  
 Warranty: 5 Years

Item Number	Each
COM-FLI*	\$99.99 - \$279.99



**LED Shoebox Lights**  
PHILLIPS LEDES

Dimensions: 14.2" W x 3.9" H x 22.0" D  
 Input Voltage: 100-277V  
 Input Wattage: 150/200/300W  
 Replacement Wattage: 750/1,000/1,500W  
 Lumen Output: 20,000/31,000/40,500  
 Color Temperature: 3,000-5,700K  
 CRI: >70  
 Beam Angle: 120°  
 Temperature Rating: -30°F - 130°F  
 IP Rating: IP65  
 Dimmable: YES  
 Materials: PC Lens/Aluminum Body  
 Lifetime: 100,000 Hours  
 Ratings: DLC/CE/FCC/UL  
 Warranty: 10 Years

Item Number	Each
COM-SBA*	\$499.99 - \$599.99



**LED Roadway Lights**  
MUNICIPAL SERIES

Dimensions: 3.32-3.54" W x 5.31-6.3" H x 14.4-24.87" D  
 Input Voltage: 100-277V/277-480V  
 Input Wattage: 30/60/90/120/150W  
 Replacement Wattage: 120/240/350/500/600W  
 Lumen Output: 3,300/6,600/9,900/13,200/16,500  
 Color Temperature: 3,500-5,700K  
 CRI: >80  
 Beam Angle: 120°  
 Temperature Rating: -30°F - 120°F  
 IP Rating: IP65  
 Dimmable: OPTIONAL  
 Materials: Ballistic PC Lens/Brushed Aluminum Body  
 Lifetime: 100,000 Hours  
 Ratings: DLC/UL  
 Warranty: 5 Years


Item Number	Each
COM-SLM*	\$119.99 - \$299.99





1490 Harper Puckett Rd.  
Bozeman, MT 59718  
1-406-586-5970  
www.birddoglighting.com

PRSRT STD  
U.S. POSTAGE  
**PAID**  
Post Falls, ID  
PERMIT NO. 32



## **SMD LED Neon Rope Lights**

### **ALL NEW FOR 2018!**

**Upgraded LEDs** - Neon rope now features over twice as many LEDs - the new LEDs are now upgraded SMD type LEDs which are fundamentally superior in all areas, delivering higher brightness and unparalleled reliability.

**Extreme Durability** - SMD neon eliminates easily broken internal wires and soldering reducing costly maintenance and downtime.

**Bend It** - PCB circuitry used in SMD neon allows for enhanced flexibility, a tighter bend radius, and is easily adaptable to the most complicated projects.

**Redesigned Construction** - New innovative structure provides superior illumination by further reducing any "hot" or "cool" spots, creating an even more impressive glow that perfectly mimics glass neon.

**See pages 9 & 10 for specs and pricing.**

### **TRUE RGB**

**Full Spectrum Control** - with our new 24V and 120V neon rope lights. Now featuring tri-chip RGB SMD LEDs which can provide a full, seamless range of 100's of colors whether viewed directly or indirectly.

**24V RGB Neon** features a multitude of color change as well as chasing effects. It also utilizes DMX indexable LEDs enabling complete control for the most demanding lighting designers.

**120V RGB Neon** will allow customers to change the color of their lights or choose a preset color change effect with a RF remote controller.



To visit our mobile website  
scan this QR code with a  
smartphone or tablet

